


Submittal Data Sheet

2.5 Ton, Ceiling-Mount, Uncased Air Handler ACNF301016

STANDARD FEATURES

- Check flowrater for heat pump and cooling-only applications
- All-Aluminum tube/aluminum fin coil
- Direct-drive, resilient-mount, multi-speed motor
- Sequence-controlled and rust-resistant nickel chromium heating elements . of 5, 6, 8 and 10 kW
- High-efficiency evaporator coil
- Quiet operation
- Models with EEM motors: ACNF25 & ACNF31
- Models with PSC motors: ACNF18, ACNF24, & ACNF30
- Available with and without heat
- AHRI Certified
- ETL Listed
- Primary/secondary drain connection in a high-temperature plastic drain pan
- Suitable for free-return installation (non-ducted return air)
- Galvanized-steel construction
- Factory-installed pull-type disconnect
- Easy service access





www.daikinac.com www.daikincomfort.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)



Submittal Data Sheet

2.5 Ton, Ceiling-Mount, Uncased Air Handler ACNF301016

PERFORMANCE			
Product Model No.	ACNF301016	Product Model Name:	2.5 Ton, Ceiling-Mount, Uncased Air Handler
Туре:	Air Handler	Cooling Capacity (Nominal) (Btu/hr):	30,000
Blower Motor Rating (HP):	1/4		

PRODUCT DETAILS						
Power Supply (V/Hz/Ph):	208-230 / 60 / 1	Airflow Rate (High) (CFM):				
Min. Circuit Amps MCA (A):		Suction Valve Connection Size (inch):	3/4			
Max Overcurrent Protection (MOP) (A):		Liquid Valve Connection Size (inch):	3/8			
Dimensions (HxWxD) (in):	10 x 49-1/2 x 21	Condensate Connection (inch):				
Net Weight (lb):		Blower Size Diameter (inch):	6.75			
Gross Weight (lb):	79	Blower Size Width (inch):	8.25			

Daikin City Generated Submittal Data

www.daikinac.com www.daikincomfort.com


(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)




Submittal Data Sheet

2.5 Ton, Ceiling-Mount, Uncased Air Handler ACNF301016

DIMENSIONAL DRAWING





	ACNF18	ACNF24	ACNF25	ACNF30	ACNF31
А	37¼"	43¼"	43¼"	49¼"	49¼"
В	34¾"	40¾"	40¾"	46¾"	46¾"
С	30"	36"	36"	42"	42"
D	6½"	6½"	6½"	6½"	6½"

Daikin City Generated Submittal Data

Daikin North America LLC, 5151 San Felipe, Suite 500, Houston, TX, 77056

www.daikinac.com www.daikincomfort.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)