



Submittal Data Sheet

3 Ton, Cased Horizontal "A", Coil
CHPF3636B6

STANDARD FEATURES

- All-Aluminum evaporator coil
- Optimized for use with R-410A refrigerant
- Some models suitable for use with R-410A or R-22 refrigerant
- CAPT models feature factory-installed thermal expansion valves for cooling and heat pump applications
- Check flowrator for cooling and heat pump applications
- Vertical and horizontal models available
- Rust resistant, thermoplastic drain pans featuring a low water-retention design
- DecaBDE-free thermoplastic drain pan with secondary drain connections
- UV-resistant drain pan
- AHRI certified
- ETL listed

CABINET FEATURES

- 1. Twenty one inch depth for easier attic access
- 2. Split seam front for easy access
- 3. Foil-faced insulation covers the internal casing to reduce cabinet condensation
- 4. Galvanized, leather grain-embossed finish



**CHPF
Horizontal "A"**





Submittal Data Sheet
3 Ton, Cased Horizontal "A", Coil
CHPF3636B6


PERFORMANCE			
Product Model No.	CHPF3636B6	Product Model Name:	3 Ton, Cased Horizontal "A", Coil
Type:	Coil	Cooling Capacity (Nominal) (Btu/hr):	36,000

PRODUCT DETAILS			
Dimensions (HxWxD) (in):	17-1/2 x 26 x 21-1/4	Suction Valve Connection Size (inch):	3/4
Net Weight (lb):	50	Liquid Valve Connection Size (inch):	3/8
Gross Weight (lb):	53	Condensate Connection (inch):	3/4



Submittal Data Sheet
3 Ton, Cased Horizontal "A", Coil
CHPF3636B6

DIMENSIONAL DRAWING



Note: All air opening flanges are 0.6250".

Suction Line