



# Submittal Data Sheet

Daikin D2271 Connected Thermostat

Project Name:

Location:

Engineer:

Submitted to:

Submitted by:

Reference:

Approval:

Date:

Construction:

Unit #:

Drawing #:

## SYSTEM COMPATIBILITY:

G or F	Fan	G
Y2	Cooling 2nd Stage	Y2
W1,W	Heating	W1/O/B
Rh, R, M, Vr, A	Power	R
C	Common	C
O/B	Rev. Valve	W1/O/B*
W2	2nd Stage Heat	W2
Ck1	Dry Contact Switch	CK
CKGND	Dry Contact Switch	R

\* O/B if your outdoor unit is a heat pump



# Submittal Data Sheet

Daikin D2271 Connected Thermostat

Project Name:

Location:

Engineer:

Submitted to:

Submitted by:

Reference:

Approval:

Date:

Construction:

Unit #:


Drawing #:

## SPECIFICATIONS:

Model	D2271
Description	Daikin D2271 Connected Thermostat
Maximum Connections	1
Max Wiring Length	125 ft (Field-supplied, 18AWG)
Power Supply	Obtained from the indoor unit
Dimensions	4.8" W x 4.8" W x 1.04" D
Weight	6.5oz
Storage Temperature	32°F to 120°F
Ambient Operating Temperature	32°F to 120°F
Humidity	20 to 95% RH (non-condensing)
Compliance	Compliant to California Title 24 (OCST listed), FCC Certified (FCC Part 15 subpart B), UL Listed

## PRODUCT IMAGE:

Thermostat:D2271



## FEATURES:

- Wi-Fi-enabled connected thermostat with iOS and Android app control
- Voice control by Amazon Alexa and Google Assistant
- Multi-language support: English, Spanish, French(SkyportHome app only)
- Over-the-air software update capable (requires wi-fi connection)
- Error and service notifications
- Programmable 4 event schedule with adjustable hold function
- Energy and comfort functions: Away mode, geo-fencing
- Outdoor environment monitoring: outdoor temperature, outdoor humidity, and weather forecast(requires wi-fi connection)
- Compatible with SkyportCare and SkyportHome(requires wi-fi connection)
- Title 24 compliant

Project Name:

Location:

Engineer:

Submitted to:

Submitted by:

Reference:

Approval:


Date:

Construction:

Unit #:



Drawing #:

## WIRING DIAGRAM:



## Check Dip Switch

Ensure which switch is correct for your system. Dip switches are located on the back of the thermostat.





# Submittal Data Sheet

Daikin D2271 Connected Thermostat

Project Name:

Location:

Engineer:

Submitted to:

Submitted by:

Reference:

Approval:


Date:

Construction:

Unit #:

Drawing #:

## DIMENSIONS:



## DOCUMENTATION:

Documentation available on [www.daikincity.com](http://www.daikincity.com) and/or [www.daikincomfort.com](http://www.daikincomfort.com)

- Submittal
- Installation Manual
- Product Flyer

©2025 DAIKIN COMFORT TECHNOLOGIES MANUFACTURING, INC. • 19001 Kermier Rd Waller, TX • Printed in the USA.

[www.daikincomfort.com](http://www.daikincomfort.com) [www.daikincity.com](http://www.daikincity.com)

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)