



DAIKIN *ENTRA* SINGLE ZONE
WALL-MOUNTED HEAT PUMP SYSTEM

18 SEER2 / UP TO 8.5 HSPF2 / UP TO 9.8 EER2



R32

The air today feels just right — amazing temperature, ideal humidity, and freshness — like right after it rains. But what makes it even better is that this ideal air is happening indoors. Inside your space. Inside, where we spend most of our time — working, playing, sleeping, living.

At Daikin, we're committed to making the air inside just as refreshing as the air outside. With Daikin efficiency, quality, and control, you can create your own ideal indoor environment. So, every day feels perfect, inside, and out.

Perfecting The Air We Share.



At Daikin, comfort is just the beginning.

A better understanding of how people inhabit their living spaces has led to products designed to create indoor environments that help use energy resources effectively. Heat pumps extract or reject heat from the outside air, even in cold weather. They use an electrically powered compressor and are extremely effective at heating and

cooling an apartment or a house. Daikin heat pumps are quiet and discreet, and use state-of-the-art technology designed to keep your energy bills low. With a Daikin heat pump, a large portion of the energy used to heat or cool your home comes from the outside air.



Daikin *ENTRA* Single Zone Wall Mount HEAT PUMP SYSTEM

Comfort

We offer a wide range of products, and always provide you with the ideal solution, whether for an apartment, condo or a house. Our *ENTRA* units are whisper quiet and, with their specially designed airflow pattern, they create your ideal indoor climate.

Daikin *ENTRA* units are designed to include features that let you create your own unique ecosystem. From the wide angle louver design to the auto-swing and comfortable mode controller settings, effective heating and cooling is supported throughout the space.

Smart inverter technology



Integrated with an inverter (variable-speed) compressor,

Daikin *ENTRA* systems deliver the capacity required to maintain desired room conditions. This technology is designed to prevent temperature fluctuations and provides continuous cooling and heating comfort.

Control

Our expertise makes life easier for you, allowing you to control your system via a user-friendly remote control. Built in Wi-Fi allows you to control the unit from across the room — or across the world.

Energy efficiency

Our products are energy efficient and designed for low energy bills.

Reliability

Daikin products are built for reliability. And you can rely on outstanding limited warranties* to match.



* Complete warranty available from your local dealer or at www.daikincomfort.com. To receive 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. The duration of warranty coverage may depend on the state in which you reside. Some states and provinces do not allow warranty coverage to be conditioned on registration. For a list of states and provinces that do not allow warranty coverage to be conditioned on registration, please visit www.daikincomfort.com/warranty-information or, to request a paper copy of this information, please call us at 1-855-502-3903. Other limitations and exclusions apply, refer to complete warranty details for full list of limitations and exclusions.

Daikin *ENTRA*

Elegant and stylish wall-mounted unit providing high efficiency and comfort.

Daikin *ENTRA* single zone inverter wall-mounted systems provide energy efficiency and comfort control with an affordable, solution. These heat pump systems feature streamlined, wall mounted indoor units paired with quietly compact outdoor units.



Efficiency and Comfort:

Energy Efficient –

Up to 18 SEER2 / Up to 8.5 HSPF2 / Up to 9.8 EER2 for efficient cooling and heating operation and reduced energy consumption compared to conventional lower-efficiency systems.

Cooling Range: 50° – 115°F

Heating Range: 5° – 65°F*



Ideal solution for:

- » Daikin *ENTRA* system serves as the modern replacement for older through-the-wall utilizing a small hole in the wall to route the refrigerant lines between the indoor unit and a compact outdoor condenser. These systems are designed to last long, run quiet, and provide energy efficiency comfort in any season.
- » Is the ideal solution for temperature-controlling a garage, transforming it into a comfortable workshop, home gym, or storage area. These systems provide targeted heating and cooling without the need for expensive, bulky ductwork.
- » An ideal climate control solution for a sunroom. Because sunrooms have vast expanses of glass, they are notorious for extreme temperature swings; Daikin *ENTRA* systems offer the highly localized cooling and heating needed to keep your sun room comfortable year-round.

Simple and efficient:

Wall-mounted units are simple to install. The flexible design blends discretely with any home décor and is ideal for single room enhancements, spaces requiring additional heating or cooling, and additions. The air direction and flow rate are adjusted so that the air will not blow directly at people in the room.





Innovative technology:



Outdoor unit features:



Anti-Corrosion – The special anti-corrosion coating on the outdoor unit heat exchanger provides resistance to salt damage and atmospheric corrosion.



Outdoor Unit Quiet Operation – with our Smart Inverter technology, the outdoor unit is quiet enough to hold a conversation next to the unit.



Powerful Operation – Pushing the POWERFUL button on the remote control gives you a boost in cooling or heating power for a 20-minute period, even if the unit is already operating at high capacity.



Econo Mode – Limits the maximum operating current and power consumption of the outdoor unit by approximately 30% during start-up. This is designed to save energy and reduce its load on the electrical circuit when multiple electrical devices are used simultaneously.



Auto-Restart – The unit memorizes the operation mode, airflow and temperature settings. Should there be a power failure when the unit is in operation, it will automatically return to the same operating conditions when the power is restored.



Titanium Apatite Photocatalytic Filter – This filter combines advanced filtration and a titanium apatite photocatalytic deodorizing technology in a single unit.

Multi-monitor lamp

The lamp color changes according to the mode of operation.



Knowledge is power

The new minimum efficiency standards are based upon new metrics (SEER2/EER2/HSPF2) derived from a new test procedure (M1) rather than the historical metrics (SEER/EER/HSPF) from the old test procedure (M). Testing procedures and requirements for developing efficiency ratings will now be more stringent with the new 2023 DOE regulations. The prior M testing procedure is being replaced by the M1 testing procedure for 2023 compliance.

Up to
18
SEER2

Up to
9.8
EER2

Up to
8.5
HSPF2

Up to
1.8
COP

(Coefficient of Performance)

Single Zone Heat Pump
Efficiency ratings

Why is COP important?

The COP of a heat pump is the ratio of:
$$\text{COP} = \frac{\text{energy out}}{\text{energy in}}$$

When the COP is >1, the result is a system providing more heating energy than energy consumed. As the COP increases, the higher the efficiency — resulting in lower utility costs.

COP



ENTRA
Up to 1.8
(Wall Mount Unit)






Take comfort in your decision.

NEW R-32 INDOOR AND OUTDOOR UNITS



Comfort without compromise:

The Daikin *ENTRA* system is an Inverter unit that runs continuously but adjusts the compressor's speed to meet the demand. An inverter is energy efficient technology that is designed to eliminate wasted operation in air conditioners by efficiently controlling motor speed. Because it maintains the temperature consistently, your space will no longer feel too hot or too cold.



Learn more about the benefits of Daikin Inverter technology:

www.daikincomfort.com/go/inverter/



The right choice to replace R-410A.

Proven. Easy. Available. Efficient.

Step into the future of home comfort with Daikin's line of residential products. As a global leader in air conditioning, Daikin is committed to innovation that supports your home comfort with the use of low global warming potential (GWP) R-32 refrigerant. Our new R-32 products have been designed to meet efficiency, reliability, and comfort needs, while helping reduce impact on the environment with a lower GWP refrigerant compared to R-410A.

- » **Innovation:** With R-32's lower global warming potential (compared to previous R-410A) you can reduce your impact on the environment while enjoying outstanding cooling and heating at home.
- » **Efficiency:** Daikin's use of R-32 refrigerant and our game-changing inverter technology is designed to provide energy efficiency for low utility bills and energy consumption.
- » **Durability:** Daikin's legacy of over 100 years ensures each product is built to last, delivering reliable performance and comfort year after year.
- » **Intelligent:** Many Daikin systems integrate with smart home technologies, making it easy to control

and optimize your home's climate. Additionally, for homeowners who want to step their indoor comfort up even more, ask about the Daikin systems that connect to the Daikin *ONE* thermostats, *SkyportCare*, and how to address other indoor air quality concerns.

- » **Peace of Mind:** Confident in our quality, Daikin offers robust limited warranties*, ensuring your investment brings long-term comfort and peace of mind.




Aligning with Goals of:

- » **Lower GWP refrigerant — reduce impact at the source:** Utilizing a refrigerant with lower Global Warming Potential (GWP) compared to conventional refrigerants, like R-410A.
- » **Sustainability:** Easy to top off, or clean and reuse on-site and easy to reclaim and recycle.

* Complete warranty details are available from your local dealer/contractor or at www.daikincomfort.com



CONTROLS



Daikin *ONE* Touch Smart Thermostat

A great control option for Daikin single and multi-zone systems. With customizable settings and the power to wirelessly control the system from anywhere, homeowners may never want to change their thermostat manually again. However, the touchscreen interface supports a user-friendly experience when they do. Voice control is also possible with compatible Amazon and Google devices.



Daikin *ONE* Lite Connected Thermostat

The Daikin *ONE* lite connected thermostat is a perfect solution for most Daikin single and multi-zone products when a wall-mounted smart thermostat is needed. The Daikin *ONE* lite connected thermostat can be linked via Wi-Fi to the Daikin *ONE* home app for control from a smartphone or tablet.


NOTE: the handheld remote that comes with some indoor units *should not* be used together with the Daikin *ONE* thermostats.





Daikin *DKN Plus* Interface

The Daikin *DKN Plus* Interface (AZAI6WSPDKC) enables the energy-efficient control of Daikin air conditioners by a third-party thermostat or an automation system. With this interface, third-party devices or systems can control the Single zone and Multi-zone indoor units through the DKN NA App, Cloud API, Modbus®, BACnet® MS/TP, or thermostat relay contacts. This interface can be commissioned easily through the DKN Cloud NA app via Bluetooth® Low Energy (BLE). Learn more at www.daikinac.com.



Daikin *ONE+* Smart Thermostat

The Daikin *ONE+* smart thermostat is available for single and multi-zone indoor unit models. With the new translation adaptor, connecting the Daikin *ONE+* smart thermostat provides several user features including remote monitoring, control and geofencing using the Daikin *ONE* home app, Google, and Amazon voice assistants. Learn more at www.daikinone.com.



BACnet® is a trademark of ASHRAE. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks are under license.



BUILD YOUR SYSTEM | DISCOVER REBATES | FIND A CONTRACTOR | LEARN MORE ABOUT DAIKIN:
www.daikincomfort.com



Heat Pump Specifications

Unit Size	Indoor Unit Model # / Dimensions (H x W x D)	Outdoor Unit Model # / Dimensions (H x W x D)	Efficiency Rating	Lowest Sound Level (dB(A))		Weight (lbs)		AHRI #
				Indoor*	Outdoor	Indoor	Outdoor	
9,000	FTXC09BVJU9	RXC09BVJU9	18.0 SEER2 / 9.8 EER2 / 8.5 HSPF2 / 1.8 COP	21	49	17	55.1	218461778
	11-1/4 x 30-5/8 x 8-3/4	21-7/8 x 26-5/8 x 11-1/4						
12,000	FTXC12BVJU9	RXC12BVJU9	18.0 SEER2 / 8.4 EER2 / 8.5 HSPF2 / 1.8 COP	21	50	17	55.1	218461779
	11-1/4 x 30-5/8 x 8-3/4	21-7/8 x 26-5/8 x 11-1/4						
18,000	FTXC18BVJU9	RXC18BVJU9	18.0 SEER2 / 7.7 EER2 / 8.5 HSPF2 / 1.8 COP	21	54	19.8	99.2	2184617870
	11-1/4 x 30-5/8 x 8-3/4	29-1/2 x 34-1/4 x 12-5/8						
24,000	FTXC24BVJU9	RXC24BVJU9	18.0 SEER2 / 9.2 EER2 / 8.5 HSPF2 / 1.8 COP	35	54	27.6	108.0	218461781
	11-5/8 x 39-3/8 x 10-3/8	29-1/2 x 34 1/4 x 12-5/8						

*When quiet operation is engaged







WARNINGS:

- » Always use a licensed installer or contractor to install this product. Do not try to install the product yourself. Improper installation can result in water or refrigerant leakage, electrical shock, fire, or explosion.
- » Use only those parts and accessories supplied or specified by Daikin. Ask a licensed contractor to install those parts and accessories. Use of unauthorized parts and accessories or improper installation of parts and accessories can result in water or refrigerant leakage, electrical shock, fire, or explosion.
- » Read the Product Manual carefully before using this product. The Product Manuals provide important safety instructions and warnings. Be sure to follow these instructions and warnings.
- » For any inquiries, contact your local Daikin sales office.

Amazon and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Google and the Google logo are trademarks of Google LLC.

ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

Our continuing commitment to quality products may mean a change in specifications without notice.

© 2026 DAIKIN COMFORT TECHNOLOGIES NORTH AMERICA, INC. · Houston, Texas · USA · www.daikincomfort.com



www.R32reasons.com

CB-ENTRA_R32_06-26