DAIKIN ONE+ and ONE TOUCH HOMEOWNER SETTINGS MENU OUTLINE (based on v3.5 software for VRV and mini/multi-split systems)

		I	T			
Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
	mode icon	(see below)				
	room relative humidity					
	room temperature					
home screen	csp and cooler/down icon					
	hsp and warmer/up icon					
	thermostat name field					
	critical error messages	(if any)				
	status messages					
schedule screen	(see below)					
away screen	away csp and hsp	i				
away screen	room temperature					
	outdoor temp					
	outdoor humidity					
	weather forecast					
		off				
air guality coroon		always on				
air quality screen	des laterate (see land)	on a schedule				
	circulate air (selection)		low			
		speed	medium			
		.,	high			
		,,	ingii			
	one clean	off				
	ļ	on				
		auto (cool & heat)	(The "master controlled" option			
		-or-	appears only for VRV systems, and	1		
		master controlled	only if another thermostat is master.)	1		
	system mode	cool				
		heat				
		off				
		emergency heat	(if aux heat source available)			
		- General Medic	auto	(depends on indoor unit)		1
			low	(depends on indoor unit)		
			medium low	(depends on indoor unit)		
		cooling fan speed	medium	(depends on indoor unit)		
				(depends on indoor unit)		
			medium high			
			high	(depends on indoor unit)		
		cooling vertical position	osciliate	(depends on indoor unit)		
	fan		fixed	(depends on indoor unit)	,	
			position	(only VRV, depends on indoor uni	t)	
		cooling horizontal position	osciliate	(depends on indoor unit)		
			fixed	(depends on indoor unit)		
		heating fan speed	auto	(depends on indoor unit)		
			low	(depends on indoor unit)		
			medium low	(depends on indoor unit)		
			medium	(depends on indoor unit)		
			medium high	(depends on indoor unit)		
			high	(depends on indoor unit)		
			osciliate	(depends on indoor unit)		
		heating vertical position	fixed	(depends on indoor unit)		
			position	(only VRV, depends on indoor uni	t)	
		bearing bearings and a selection	osciliate	(depends on indoor unit)		
		heating horizontal position	fixed	(depends on indoor unit)		
		paused until	(if schedule paused)			
		on	, , , , , , , , , , , , , , , , , , , ,			
		off				
				(1st schedule event name)	day (weekday of event)	
				,	time	(time selection)
					label	(text entry)
			Sunday		action	set temperature
			Monday			(selection of heat and
			Tuesday Wednesday		temperature	cool setpoints)
	schedule			(2nd schedule event name)		coor serpolitis)
			Thursday		(same options as 1st	
			Friday	start time	schedule event)	
			Saturday	heat setpoint/cool setpoint		
				(up to 6 schedule events)		
				copy day		
				add event		
		override duration (appears when schedule on)	until next event			
			for one hour	ļ		
			for two hours			
			for four hours			
			for eight hours			
	away	on (radio button)				
		off (radio button)				
		away temperatures	(selection of heat and cool setpoints)			
		receive geofening events (checbox)				
		language	english			
			español			
				İ		
			française			
			française fahrenheit			
		degree units	fahrenheit			
		degree units	fahrenheit celsius			
			fahrenheit celsius 50 - 100% scale			
		degree units brightness	fahrenheit celsius 50 - 100% scale night mode (check box)			
		degree units	fahrenheit celsius 50 - 100% scale night mode (check box) from (time selection)			
	display	degree units brightness night mode	fahrenheit celsius 50 - 100% scale night mode (check box)			
	display	degree units brightness night mode use large font (check box)	fahrenheit celsius 50 - 100% scale night mode (check box) from (time selection)			
	display	degree units brightness night mode	fahrenheit celsius 50 - 100% scale night mode (check box) from (time selection)			

blank screen screen saver analog clock digital clock touch screen is disabled from screen screen cleaning cleaning (30s) Enter a 4-digit PIN... (not on the Touch thermostat) sound use sound (check box) Off 1 month 2 months 3 months (list of installed filters with reminders 4 months reminders menu for each) 6 months 12 months cancel restart timer continue (list of North America time zones wit time zone radio button selection (selection with spinner, for display month/date/year date & time (selection with spinner, for display hour/minute/am or pm only if connected to internet) use 24-hour time format (checkbox) Settings use wifi (checkbox) legal notices terms of use (text) privacy policy end user license agreement (text) decline accept network list (password text box) (if protected network) networks (current network) show password (checkbox) screen appears after advanced settings use dhcp (checkbox) legal notices accepted) connect per agreed terms (initiates connection to wifi wifi (and) Done network) searching for networks (or) search again internet connected (check) Daikin One Cloud connected (check) terms of use (text) legal notices (text) privacy policy end user license agreement (text) restart thermostat (if internet but no cloud) (6-digit account code if app not connected) account (account email if app connected) cancel reset registration (if app connected) circulate air air quality humidify if less than (5% increments) (25% - 65%) target humidity dehumidify if more than (5% increments) (35% - 75%) humidity Overcooling allowed to dehumidify: 0°F to 3°F (0°C to 1.5°C) (1°F or 0.5°C increments) overcool to dehumidify Temperature setpoint deadband: (1°F or 0.5°C increments) 2°F to 9°F (1°C to 5°C) (only functional with local utility use demand response (checkbox) support) When demand response signal is offset temperature setpoints received: use fixed temperature setpoints Offset heat setpoints by this energy demand response value: (-1°F to -7°F) setpoint offsets Offset cool setpoints by this response settings value: (1°F to 7°F) event setpoint limits (50°F to 90°F) enable energy pricing (checkbox) price trigger (if checkbox above) (\$0.00 to \$9.99) main room upstairs downstair hallway bedroom kitchen other other name (if other selected) (text entry) model ONEPLUS thermostat software version (x.x.x format) wifi address (x:x:x:x:x format) (2D barcode of DKN number for clou commissioning) thermostat ID (DKN...) dismiss cancel restart thermostat continue software update found (or) check for update no update available--dismis COMMUNICATING EQUIPMENT: (unit description) model# indoor unit serial#

2

unit type

-	•				
	equipment	outdoor unit	(unit description)		
			model#		
			serial #		
		ADDITIONAL EQUIPMENT:			
		air quality sensor	(if installed)		
		aux heat source	(if installed)		
		filter box	(if installed)		
		HEPA filter	(if installed)		
		standard filter	(if installed)		
		dehumidifier	(if installed)		
		humidifier	(if installed)		
		VRV IDU sensor	(only VRV systems, if installed)		
	support	Daikin Support			
		Daikin Dealer			
		cloud services	no access		
			view only		
			adjust settings		
	dealer edit	cancel	(i)	(4 digit pin for thermostat)	
		continue	4 digit code (text entry)		
			unlock thermostat (or)	(entry into commissioning	
			done	screens)	