DAIKIN ONE+ and TOUCH HOMEOWNER MENU OUTLINE (based on v3.7 software for unitary systems)

Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	Level 7
	mode icon	(see below)				
	room relative humidity					
1	room temperature					
	csp and cooler/down icon					
ome screen	hsp and warmer/up icon					
		+		1	 	
	thermostat name field	1				
	critical error messages	(if any)				
	status messages					
chedule screen	(see below)					
way screen	away csp and hsp		ĺ			
way screen			4			
	room temperature					
	outdoor temp					
	outdoor humidity					
	weather forecast					
		off				
ir quality screen		always on				
ii quality serceii	-il-ti(lti)	on a schedule				
	circulate air (selection)		low			
		speed				
			medium			
			high			
		off				
	one clean	on				
	1		<u> </u>			
	1	auto (cool & heat)	1	ļ	ļ	
		cool				
	system mode	heat				
		off				
		emergency heat	(if HP and another heat source)			
		paused until	(if schedule paused)	i	i	
			(ii scriedule paused)			
		on	1	ļ	ļ	ļ
		off				
				<u> </u>	day (weekday of event)	
		1	1	(1st schodul	time	(time selection)
		1	la i	(1st schedule event name)	label	(text entry)
			Sunday Monday	start time	action	set temperature
				heat setpoint/cool setpoint	detion	
			Tuesday			(selection of heat and cool
		edit schedule	Wednesday		temperature	setpoints)
	schedule		Thursday	(2nd schedule event name)		
	Schedule			start time	(same options as 1st schedule	
			Friday	heat setpoint/cool setpoint	event)	
			Saturday	(up to 6 schedule events)		
				copy day		
				add event		
		override duration	until next event			
			for one hour			
			for two hours			
			for four hours			İ
			for eight hours			
	-	/ P 1 1 1 1	TOT CIGITE HOURS			
		on (radio button)				
	away	off (radio button)				
	ana,	away temperatures	setpoints)			
		receive geofening events (checbox)				
			english			
		language	español			
		language				
			française			
		degree units	fahrenheit			
			celsius	<u> </u>	<u> </u>	
		brightness	50 - 100% scale			
			30 10070 Scarc			
			night mode (check box)			
			night mode (check box)			
		night mode	night mode (check box) from (time selection)			
	display	night mode	night mode (check box)			
	display	night mode use large font (check box)	night mode (check box) from (time selection)			
	display	night mode	night mode (check box) from (time selection) to (time selection)			
	display	night mode use large font (check box)	night mode (check box) from (time selection) to (time selection) off			
	display	night mode use large font (check box)	night mode (check box) from (time selection) to (time selection) off blank screen			
	display	night mode use large font (check box) use light bar (check box)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock			
	display	night mode use large font (check box) use light bar (check box)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock			
	display	night mode use large font (check box) use light bar (check box) screen saver	night mode (check box) from (time selection) to (time selection) off blank screen analog clock			
	display	night mode use large font (check box) use light bar (check box)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for			
	display	night mode use large font (check box) use light bar (check box) screen saver	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s)	(number entry)		
	display	night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN	(number entry)		
		night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat)			
	display	night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN	(check box)		
		night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode	(check box) from: (time) to: (time) (time		
		night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours	(check box)		
		night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off	(check box) from: (time) to: (time) (time		
		night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month	(check box) from: (time) to: (time) (time		
		night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off	(check box) from: (time) to: (time) (time		
		night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months	(check box) from: (time) to: (time) (time		
	sound	use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months	(check box) from: (time) to: (time) (time		
		night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months	(check box) from: (time) to: (time) (time		
	sound	use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months	(check box) from: (time) to: (time) (time		
	sound	use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months	(check box) from: (time) to: (time) (time selection in 15 min. increments)		
	sound	use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with	night mode (check box) from (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months 12 months	(check box) from: (time) to: (time) (time selection in 15 min. increments)		
	sound	use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months	(check box) from: (time) to: (time) (time selection in 15 min. increments)		
	sound	use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with	night mode (check box) from (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months 12 months	(check box) from: (time) to: (time) (time selection in 15 min. increments)		
	sound	night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with following menu for each)	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months 12 months 12 months restart timer with radio buttons; cannot be	(check box) from: (time) to: (time) (time selection in 15 min. increments) cancel continue		
	sound	use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with	night mode (check box) from (time selection) to (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months 12 months restart timer with radio buttons; cannot be changed if connected to internet	(check box) from: (time) to: (time) (time selection in 15 min. increments) cancel continue		
	sound	night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with following menu for each)	night mode (check box) from (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months 12 months restart timer with radio buttons; cannot be changed if connected to internet and app)	(check box) from: (time) to: (time) (time selection in 15 min. increments) cancel continue		
	sound	night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with following menu for each)	night mode (check box) from (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months 12 months 12 months 12 months 12 months 12 months 15 months 16 months 17 months 18 months 19 months 19 months 19 months 10 months 10 months 10 months 11 months 12 months 12 months 13 months 14 months 15 months 16 months 17 months 18 months 19 months 19 months 10 months 10 months 11 months 12 months 12 months 13 months 14 months 15 months 16 months 17 months 18 months 19 months 19 months 10 months 10 months 10 months 11 months 12 months 12 months 13 months 14 months 15 months 16 months 17 months 18 months 19 months 19 months 10 months 10 months 10 months 10 months 11 months 12 months 12 months 13 months 14 months 15 months 16 months 17 months 18 months 19 months 19 months 19 months 10 mon	(check box) from: (time) to: (time) (time selection in 15 min. increments) cancel continue		
	sound	night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with following menu for each)	night mode (check box) from (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months 12 months restart timer with radio buttons; cannot be changed if connected to be changed if connected to	(check box) from: (time) to: (time) (time selection in 15 min. increments) cancel continue		
	sound	night mode use large font (check box) use light bar (check box) screen saver screen cleaning lock use sound (check box) quiet mode (off or hours if enabled) (if unit supports quiet mode and not hidden by installer) (list of installed reminder type with following menu for each)	night mode (check box) from (time selection) off blank screen analog clock digital clock touch screen is disabled for cleaning (30s) Enter a 4-digit PIN (not the Touch thermostat) use quiet mode quiet hours Off 1 month 2 months 3 months 4 months 6 months 12 months 12 months 12 months 12 months 12 months 15 months 16 months 17 months 18 months 19 months 19 months 19 months 10 months 10 months 10 months 11 months 12 months 12 months 13 months 14 months 15 months 16 months 17 months 18 months 19 months 19 months 10 months 10 months 11 months 12 months 12 months 13 months 14 months 15 months 16 months 17 months 18 months 19 months 19 months 10 months 10 months 10 months 11 months 12 months 12 months 13 months 14 months 15 months 16 months 17 months 18 months 19 months 19 months 10 months 10 months 10 months 10 months 11 months 12 months 12 months 13 months 14 months 15 months 16 months 17 months 18 months 19 months 19 months 19 months 10 mon	(check box) from: (time) to: (time) (time selection in 15 min. increments) cancel continue		

use 24-hour time format (checkbox) use wifi (checkbox) terms of use (text) privacy policy (text) legal notices end user license agreement (text) decline network list ccept (password text box) networks (current network) (if protected network) show password (checkbox) (screen appears after legal advanced settings use dhcp (checkbox) notices accepted) connect per agreed terms (initiates connection to wifi wifi (and) Done network) searching for networks (or) search again internet connected (check) terms of use (text) legal notices privacy policy (text) end user license agreement (text) restart thermostat (if internet but no cloud) (6-digit account code if app not connected) account (account email if app connected) cancel reset registration (if app connected) Settings continue always on (radio buttons) on a schedule (if "always on" or "on a speed nedium schedule" selected) nigh circulate air (selection) from (time) schedule (selected time) air quality to (time) for entire schedule (if "on a schedule" selected) (radio buttons) duration hourly for 15 minutes nourly for 30 minutes nourly for 45 minutes Off one clean humidify if less than (25% - 65%) (5% increments) target humidity dehumidify if more than (35% - 75%) 5% increments) humidity disable humidification (checkbox) Overcooling allowed to dehumidify: Temperature setpoint 1°F or 0.5°C increments) overcool to dehumidify 1°F or 0.5°C increments) deadband: Overcooling allowed to dehumidify 0, 1, 2, or 3°F (0, 0.5, 1, or 1.5°C) overcool to dehumidifiy Temperature setpoint dead band: 2°F to 9°F in 1°F steps (0°C to 5°C in 0.5°C steps) (the cool/heat menu appears cool/heat for R32 equipment only) disable humidification (checkbox) enable tight setpoint control (only functional with local use demand response (checkbo utility support) When demand response signal received: (radio buttons) offset temperature setpoints fixed temperature setpoints energy demand response Offset heat setpoints by this value: (-1°F to -7°F) setpoint offsets Offset cool setpoints by this response settings value: (1°F to 7°F) event setpoint limits (50°F to 90°F) enable energy pricing (checkbo rice trigger (if checkbox above) (\$0.00 to \$9.99) main roo upstairs downstairs hallway name bedrooi kitchen other name (if other selected) (text entry) model ONEPLUS thermostat software version (x.x.x format) wifi address (x:x:x:x:x format) (2D barcode of DKN number for thermostat ID (DKN...) dismiss cancel restart thermostat continue software update found (or) no update available check for update dismiss COMMUNICATING EQUIPMENT: (model details) specifications quiet mode (off or hours if (list of model specifications) use quiet mode check box)

2

(if unit sup

quiet hours

from: (time) to: (time) (in 15 min. increments)

air conditioner (model, if present)

(or)

_						
	equipment		prioritize efficiency (or)	(radio buttons)		
			prioritize comfort			
			(if heat pump and furnace			
			system)			
		air hander (model)(if present)	(model details)			
		(or)	specifications	(list of model specifications)		
		EEV coil (if present)	(list of model specifications)			
		ADDITIONAL EQUIPMENT:				
		air quality sensor	(if installed)			
		electronic filter	(if installed)			
		media filter	(if installed)			
		UV bulbs	(if installed)			
		aux heat source	(if installed)			
		humidifier	(if installed)			
		dehumidifier	(if installed)			
		zone board	(if installed)			
	support	Daikin Support	(Daikin contact information)			
		Daikin Dealer	(if dealer information entered)			
		cloud services	no access			
			view only			
			adjust settings			
	dealer edit	cancel	(i)	(4 digit code for thermostat)		
		continue	4 digit code (text entry)			
			unlock thermostat (or)	(entry into commissioning	·	
			done	screens)		