



Submittal Data Sheet

7.5 Ton Light Commercial Air Handler 208/230V 3PH R32

DAQ09033

STANDARD FEATURES

- TXV Control; Units have two (2) thermal expansion valves • DAQ units feature two 5-speed direct-drive motors • Copper tube/aluminum fin coils • AHRI Certified; ETL Listed • R-32 leak mitigation system

CABINET FEATURES

- Heavy-gauge, reinforced, galvanized-steel cabinet • Fully insulated with fiberglass blanket • Horizontal and vertical condensate pans • Built-in filter rack (2" filter included) • Entry on top of panel for both low and high voltage • Removable access panels make servicing of unit faster and easier





Submittal Data Sheet
7.5 Ton Light Commercial Air Handler 208/230V 3PH R32
DAQ09033

PERFORMANCE

Product Model No.	DAQ09033	Product Model Name:	7.5 Ton Light Commercial Air Handler 208/230V 3PH R32
Type:	Air Handler	Cooling Capacity (Nominal) (Btu/hr):	90,000
Blower Motor Rating (HP):	1		


PRODUCT DETAILS

Power Supply (V/Hz/Ph):	208/230 / 60 / 3	Airflow Rate (High) (CFM):	
Min. Circuit Amps MCA (A):	15.5/15.5	Suction Valve Connection Size (inch):	1-1/8
Max Overcurrent Protection (MOP) (A):	20/20	Liquid Valve Connection Size (inch):	5/8
Dimensions (HxWxD) (in):	24.1875 x 60.46875 x 48.09375	Condensate Connection (inch):	3/4
Net Weight (lb):	430	Blower Size Diameter (inch):	11
Gross Weight (lb):	393	Blower Size Width (inch):	

Submittal Data Sheet
7.5 Ton Light Commercial Air Handler 208/230V 3PH R32
DAQ09033

DIMENSIONAL DRAWING

DIMENSIONS



DUCT CONNECTION SIZING WITHOUT ELECTRIC HEATERS

MINIMUM SUPPLY AND RETURN DUCT DIMENSIONS

DIMENSIONAL DATA FOR ELECTRIC HEATER KITS	
• 15, 20, & 30 kW Heater Kits	
• Supply opening is 13 3/4" x 40 3/4"	

