



RESIDENTIAL PRODUCT LINE CARD







Split System Heat Pumps and Air Conditioners

Air Handlers and Coils

Gas Furnaces



Packaged Air Conditioners and Heat Pumps

Single and Multi-Zone Systems

Our continuing commitment to quality products may mean a change in specifications without notice.

COMFORTABLE LIMITED WARRANTY* PROTECTION

Single and Multi-Zone Systems		SkyAir ^{††}	Packaged: Air Conditioner, Heat Pumps, Dual Fuel and Gas/Electric ^{††}				VRV LIFE
Daikin ENTRA [†] , LV 30/36 ^{††} , Daikin POLARA ^{††} , Daikin CIRRA [†]	Daikin EMURA [†] , Daikin OTERRA [†] , Daikin AURORA [†] , LV series [†] , FDMQ [†] , Daikin ATMOSPHERA, MXS series [†] , Daikin VISTA [†] and RMXS [†]	All products	DP3CH, DP3HH, DP3HM	DP5HH, DP5HM	DP3GM, DP3UM	DP3DM, DP5GM, DP5UM	VRV LIFE
Heat Pump and Air Conditioners ^{††}			Gas Furnace ^{††}			Air Handlers and Coils ^{††}	
DX9VC, DX7TC, DX6VS, DZ9VC, DZ6VS, DZ7TC, DZ4SE	DX5SE, DX4SE, DX3SE, DZ5SE, DZ4SE	DX3SQ, DZ4SQ, DX4SQ	DM97MC, DC97MC, DM96VC, DC96VC	DM96TN / DC96TN, DM96SN-U, DM96SN / DC96SN, DM92SN, DM80TN / DC80TN, DM80SN / DC80SN, DM80SN-U, DM80VC, DC80VC	DMVT, DMVE, DFVE, DFVE* (115 V), AWSF, AWST, ACSE, AMST, MBVK, CAPT, CAPTA, CAPFA, CAPF, CAUF, CAUFA, CHPE, CHPT / CHPTA, CAPEA / CAPE, CHPE, CSCF		

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 10-Year or 12-Year Parts Limited Warranties, the 10-Year Compressor Replacement Limited Warranty, the 20-Year Heat Exchanger Limited Warranty, the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), and to receive the 2-Year, 6-Year, or 12-Year Unit Replacement Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the 2-Year, 6-Year, and 12-Year Unit Replacement Limited Warranties. Online registration and some of the additional requirements are not required in California or Québec.

[†] If product installed in a commercial application, limited warranty period is 5 years.

^{††} If product installed in a commercial application, limited warranty periods will differ depending on the model.

^{†††} Registration not required if installed in a commercial or residential application.



SPLIT SYSTEMS AIR CONDITIONERS | HEAT PUMPS



Split System Air Conditioners								
MODELS	DX9VC	DX7TC	DX6VS	DX5SE	DX4SE	DX4SQ	DX3SE	DX3SQ
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	6-Year	6-Year	N/A	6-Year	N/A
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin One+ smart thermostat, Daikin One touch smart thermostat, Daikin One cloud services, and other Daikin communicating equipment).	■	■	■	N/A	N/A	N/A	N/A	N/A
SEER2	Up to 22.5	Up to 17.2	Up to 17.2	Up to 17	Up to 15.2	Up to 15.2	Up to 14.5	Up to 14.5
Compressor Type	Variable-Speed Scroll and Swing	Two-Stage High-Efficiency Scroll	Variable-Speed Swing	High-Efficiency Scroll	Energy-Efficient Scroll	Energy-Efficient	Energy-Efficient Scroll	Energy-Efficient
Internal Diagnostics	■	■	■	■	■	N/A	■	N/A
ECM Condensing Unit Fan Motor	■	■	Digitally Commutated	Select Models	Select Models	N/A	N/A	N/A
High-Density Compressor Sound Blanket	■	■	■	■	■	Select Models	■	N/A
Filter Drier	Field Installed	Factory Installed	Field Installed	Factory Installed	Factory Installed	Factory Installed	Factory Installed	Factory Installed
ENERGY STAR® Certified**			NO		NO	NO	NO	NO

Heat Pumps						
MODEL	DZ9VC ¹	DZ7TC	DZ6VS	DZ5SE	DZ4SE	DZ4SQ
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	6-Year	6-Year	N/A
12-Year Parts Limited Warranty*	■	■	■	■	■	■
Communicating (Compatible with the Daikin One+ smart thermostat, Daikin One touch smart thermostat, Daikin One cloud services, and other Daikin communicating equipment).	■	■	■	N/A	N/A	N/A
2023 Compliant	YES	YES	YES	YES	YES	YES
SEER2	Up to 22.5	Up to 17.2	Up to 17.5	Up to 16	Up to 15.2	Up to 15.2
HSPF2	Up to 8.2	8.2	Up to 8.6	Up to 8	Up to 7.8	Up to 7.8
Compressor Type	Variable-Speed Swing	Two-Stage High-Efficiency Scroll	Variable-Speed Swing	High-Efficiency Scroll	Energy-Efficient Scroll	Energy-Efficient
Defrost Technology (with SmartShift®)	Demand	Time/Temp	Intelligent	Time/Temp	Time/Temp	Time/Temp
Internal Diagnostics	■	■	■	■	■	N/A
Factory-Installed Accumulator	■	■	■	■	■	■
Crankcase Heater ¹	YES Internal to the Compressor	■	YES Internal to the Compressor	■	■	■
High-Density Compressor Sound Blanket	■	■	■	■	■	N/A
Filter Drier	Field Installed	Factory Installed	Field Installed	Factory Installed	Factory Installed	Factory Installed
ENERGY STAR® Certified**					NO	NO

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year, 6-Year, or 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the Unit Replacement Limited Warranty. Online registration and some of the additional requirements are not required in California or Québec. The duration of warranty coverages in Texas differs in some cases.

** Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® criteria. Ask your contractor for details or visit www.energystar.gov.

¹ The DZ9VC series has an external crankcase only on the 5-ton model.

² Products that are recognized as the Most Efficient of ENERGY STAR® in 2023 prevent greenhouse gas emissions by meeting rigorous energy efficiency performance levels set by the U.S. Environmental Protection Agency.

GAS FURNACES

90+% AFUE | 80% AFUE



90+% AFUE

MODELS	DM97MC	DC97MC	DM96VC	DM96SC-U [*]	DC96VC	DM96TN	DC96TN	DM96SN / DM96SN-U [*]	DC96SN	DM92SN
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	12-Year	12-Year	6-Year	6-Year	6-Year	6-Year	6-Year
Lifetime Heat Exchanger Limited Warranty*	■	■	■	■	■	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat, Daikin <i>One</i> touch smart thermostat, Daikin <i>One</i> cloud services, and other Daikin communicating equipment).	■	■	■	■	■	N/A	N/A	N/A	N/A	N/A
AFUE	Up to 97%	Up to 97%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 92%
Gas Valve Type	Modulating	Modulating	Two-Stage	Single-Stage	Two-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage	Single-Stage
Self-Diagnostics Control Board	■	■	■	■	■	■	■	■	■	■
Tubular, Primary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Secondary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM
Igniter Type	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal
ENERGY STAR® Certified**										NO

UP TO 80% AFUE

MODELS	DM80VC	DC80VC	DM80SC-U [*]	DM80TN	DC80TN	DM80SN / DM80SN-U [*]	DC80SN
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	6-Year	6-Year	6-Year	6-Year
Lifetime Heat Exchanger Limited Warranty*	■	■	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat, Daikin <i>One</i> touch smart thermostat, Daikin <i>One</i> cloud services, and other Daikin communicating equipment).	■	■	■	N/A	N/A	N/A	N/A
AFUE	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%
Gas Valve Type	Two-Stage	Two-Stage	Single-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage
Self-Diagnostics Control Board	■	■	■	■	■	■	■
Tubular, Dual-Diameter Primary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM
Igniter Type	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal
ENERGY STAR® Certified**	NO	NO	NO	NO	NO	NO	NO

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 12-Year or 6-Year Unit Replacement Limited Warranty, Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home) or 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the Unit Replacement Limited Warranty. Online registration and some of the additional requirements are not required in California or Québec. The duration of warranty coverages in Texas differs in some cases.

[^] All Ultra-Low NO_x DM96SC-U and DM80SC-U models comply with the 14 ng/J emission limit specified in the South Coast Air Quality Management District (SCAQMD) Rule 1111 and San Joaquin Valley Air Pollution Control District (SJVAPCD) Rule 4905. Learn more at www.aqmd.gov or www.valleyair.com. All other furnaces can not be installed in California's South Coast Air Quality Management District (SCAQMD) and San Joaquin Valley Air Pollution Control District (SJVAPCD).

** Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet **ENERGY STAR®** criteria. Ask your contractor for details or visit www.energystar.gov.





Air Handlers									
MODELS	DMVE Multi Position	230V DFVE Multi Position	115V DFVE Multi Position	DMVT Multi Position	AMST Multi Position	MBVK Modular Blower	AWST Wall-Mount	AWSF Wall-Mount	ACSF Ceiling Mount
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat, Daikin <i>One</i> touch smart thermostat, Daikin <i>One</i> cloud services, and other Daikin communicating equipment).	■	■	■	■	N/A	■	N/A	N/A	N/A
Outdoor Variable-Speed Inverter Compatible (Non-Fit)	■	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Compatible with Daikin <i>Fit</i> system	N/A	■	■	N/A	N/A	■	N/A	N/A	N/A
All-Aluminum Evaporator Coil	■	■	■	■	■	N/A	■	■	■
Factory-Mounted EEV	■	■	■	N/A	N/A	N/A	N/A	N/A	N/A
Factory-Mounted TXV's	N/A	N/A	N/A	■	■	N/A	■	N/A	N/A
R-410A Refrigerant Compatible	■	■	■	■	■	■	■	■	■
Motor Type	Variable Speed ECM	Variable Speed ECM	Variable Speed ECM	Variable Speed ECM	9TAP ECM	Variable Speed ECM	Multi Speed ECM	Multi Speed ECM	Direct-Drive Multi-Speed
Compliance	UL 60335 2-40 Compliant	UL 60335 2-40 Compliant	UL 60335 2-40 Compliant	UL 60335 2-40 Compliant	UL 60335 2-40 Compliant	UL 60335 2-40 Compliant	UL 60335 2-40 Compliant	UL 60335 2-40 Compliant	UL 60335 2-40 Compliant

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration not required in California or Québec. The duration of warranty coverages in Texas differs in some cases.

Coils									
MODEL	CAPEA / CAPE Cased	CAPT / CAPTA Cased	CAPFA / CAPF Cased	CAUFA / CAUF Uncased	CHPE Cased	CHPF Cased	CHPTA/CHPT Cased	CSCF Slab	
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat, Daikin <i>One</i> touch smart thermostat, Daikin <i>One</i> cloud services, and other Daikin communicating equipment).	■	N/A	N/A	N/A	■	N/A	N/A	N/A	
Rust-Resistant, High-Temperature Thermoplastic Drain Pans	■	■	■	■	■	■	■	■	
Compatible with Daikin <i>Fit</i> system**	■	N/A	N/A	N/A	■	N/A	N/A	N/A	
All-Aluminum Evaporator Coil	■	■	■	■	■	■	■	■	
Factory-Mounted EEV	■	N/A	N/A	N/A	■	N/A	N/A	N/A	
Factory-Mounted TXV's	N/A	■	N/A	N/A	N/A	N/A	■	N/A	
R-410A Refrigerant Compatible	■	■	■	■	■	■	■	■	
Other Features	Upflow, Downflow	Upflow, Downflow	Upflow, Downflow	Upflow, Downflow	Horizontal "A"	Horizontal "A"	Horizontal "A"	Horizontal Slab	

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration not required in California or Québec. The duration of warranty coverages in Texas differs in some cases.

** CAPEA is the only coil compatible with the Daikin *Fit* Heat Pump system.


ENHANCE YOUR ECOSYSTEM WITH OUR ARRAY OF INDOOR AIR QUALITY SOLUTIONS:



Daikin *One* Home Air Monitor



Daikin *One+* and *One* Touch Smart Thermostats



Daikin *One* Premium Air Cleaner

CLEAN COMFORT®
INDOOR AIR ESSENTIALS

FILTRATION PRODUCTS



VENTILATION PRODUCTS



PURIFICATION PRODUCTS



HUMIDITY CONTROL PRODUCTS



Learn more about Daikin IAQ solutions at www.daikincomfort.com

SINGLE AND MULTI-ZONE



Single and Multi-Zone Systems

MODELS	Daikin <i>ENTRA</i> Wall-Mount	Daikin <i>OTERRA</i> Wall-Mount	Daikin <i>EMURA</i> Wall-Mount Heat Pump	Daikin <i>AURORA</i> Wall-Mount, Floor-Mount and FDMQ Ducted Concealed	FDMQ Ducted Concealed	Daikin <i>ATMOSPHERA</i>	Daikin <i>CIRRA</i> Multi-Zone	Daikin <i>VISTA</i> Ceiling-Mount	Daikin <i>POLARA</i> Wall-Mount	LV 30/36	Daikin <i>AURORA</i> Multi-Zone	MXS series Multi-Zone	SkyAir series
Heat Pump	■	■	■	■	■	■	■	■	■	—	■	■	■
Cooling Only	—	■	—	—	—	—	—	—	■	■	—	—	■
SEER2	18	20	Up to 18	Up to 19.8	Up to 15.3	Up to 27.4	17	Up to 19.8	Up to 17.5	Up to 19.3	Up to 20	Up to 20.6	Up to 21
HSPF2	Up to 9.0	Up to 10	Up to 8.0	Up to 10	Up to 8.2	Up to 11.2	9	Up to 9.4	Up to 7.5	—	Up to 9.7	Up to 9.7	Up to 10.3
Capacity (Tons)	0.75 to 2.0	0.75 to 2.0	0.75 to 1.5	0.75 to 2.0	0.75 to 2.0	0.75 to 2.0	1.5	0.75 to 1.50	2.5 to 3.0	2.5 to 3.0	1.5 to 3.0	1.5 to 4.0	1.5 to 4.0
R-410A Refrigerant	■	■	■	■	■	—	■	■	■	■	■	■	■
R-32 Refrigerant	—	—	—	—	—	■	—	—	—	—	—	—	—
Inverter Technology	■	■	■	■	■	■	■	■	■	■	■	■	■
Remote Control	■	■	■	■	◆	■	■	◆	■	■	■	■	◆
12-Year Parts Limited Warranty*	—	■	■	■	■	■	—	■	—	—	■	■	—
10-Year Parts Limited Warranty**	—	—	—	—	—	—	—	—	■	■	—	—	■
10-Year Parts Limited Warranty*	■	—	—	—	—	—	■	—	—	—	—	—	—

◆ Controller required as accessories.

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 10-Year Parts/Compressor Limited Warranty or the 12-Year Parts/Compressor Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Québec. The duration of warranty coverages in Texas differs in some cases.

** Limited Warranty registration not required for residential or commercial installations. For more information, please visit www.daikincomfort.com.



PACKAGED AIR CONDITIONERS | HEAT PUMPS



Packaged Air Conditioners	
MODEL	DP3CH
12-Year Parts Limited Warranty*	■
6-Year Unit Replacement Limited Warranty*	N/A
2023 Compliant	YES
SEER2	13.4
Capacity (Tons)	2 to 5
Installation Options	Dedicated Horizontal
Scroll Compressor	■
Louvered Condenser Coil Protection	■
Heavy-Gauge Galvanized Steel Cabinet	■

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive 12-year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration not required in California or Québec. The duration of warranty coverages in Texas differs in some cases.

Please see product specifications for more details on accessories and options at daikincomfort.com

MODELS	Packaged Heat Pumps				Dual Fuel	Packaged Gas/Electric			
	DP5HH	DP5HM	DP3HH	DP3HM	DP3DM [^]	DP5GM [^]	DP5UM ^{^^}	DP3GM [^]	DP3UM ^{^^}
Unit Replacement Limited Warranty*	6-Year	6-Year	N/A	N/A	6-Year	6-Year	6-Year	N/A	N/A
Lifetime Heat Exchanger Limited Warranty*	N/A	N/A	N/A	N/A	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■
2023 Compliant	YES	YES	YES	YES	YES	YES	YES	YES	YES
SEER2	Up to 15.2	Up to 15.2	13.4	13.4	Up to 13.4	Up to 15.2	Up to 15.2	13.4	13.4
AFUE	N/A	N/A	N/A	N/A	81%	81%	81%	81%	81%
HSPF2	6.7	Up to 6.8	6.7	6.7	6.7	N/A	N/A	N/A	N/A
Capacity (Tons)	2 to 5	2 to 5	2 to 5	2 to 5	2 to 4	2 to 5	2½ & 3	2 to 5	2 to 5
Scroll Compressor	■	■	■	■	■	■	■	■	■
Heavy-Gauge Galvanized Steel Cabinet	■	■	■	■	■	■	■	■	■
Louvered Condenser Coil Protection	■	■	■	■	■	■	■	■	■
Tubular Heat Exchanger	N/A	N/A	N/A	N/A	Stainless Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger
Installation Option	Dedicated Horizontal	Multi Position	Dedicated Horizontal	Multi Position	Multi Position	Multi Position	Multi Position	Multi Position	Multi Position

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), and to receive the 6-Year Unit Replacement Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the 6-Year Unit Replacement Limited Warranty. Online registration and some of the additional requirements are not required in California or Québec. The duration of warranty coverages in Texas and Florida differ in some cases.

[^] This furnace does not comply with the SCAQMD Rule 1111 14 ng/J NO_x emission limit and therefore is not eligible for installation in California's South Coast Air Quality Management District (SCAQMD).

^{^^} This furnace complies with the SCAQMD Rule 1111 14ng/J NO_x emission limit and therefore is eligible for installation in California's South Coast Air Quality Management District (SCAQMD) and San Joaquin Valley Air Pollution Control District (SJVAPCD).

Daikin provides innovative, premium quality indoor climate management solutions to meet the changing needs of residential, commercial and industrial customers.



Many Daikin products are compatible with the Daikin *One+* and Daikin *One* touch smart thermostats. If you seek ultimate home comfort, the Daikin *One* smart thermostats are an integrated solution for controlling temperature, humidity, and air quality. Learn more at www.daikinone.com.

Why choose Daikin?

Daikin is the world leader when it comes to heating and cooling. Thanks to our constant innovation in comfort, energy efficiency, control and reliability, we define the benchmarks for quality within the industry.

Expert reviews from our most important critics.

Daikin offers a wide selection of choices for energy-efficient indoor comfort. As a worldwide leader in heating and cooling technology, Daikin is also a highly-rated brand. See for yourself at www.daikincomfort.com/reviews.

Additional Information

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.



Our continuing commitment to quality products may mean a change in specifications without notice.
© 2024 **DAIKIN COMFORT TECHNOLOGIES NORTH AMERICA, INC.**
Houston, Texas · USA · www.daikincomfort.com or www.daikinac.com

