



RESIDENTIAL PRODUCT LINE CARD






Split System Heat Pumps and Air Conditioners




Air Handlers and Coils



Gas Furnaces
















Packaged Air Conditioners and Heat Pumps


















Single and Multi-Zone Systems

Our continuing commitment to quality products may mean a change in specifications without notice.

COMFORTABLE LIMITED WARRANTY* PROTECTION

Single and Multi-Zone Systems		SkyAir ^{†††}	Packaged: Air Conditioner, Heat Pumps, Dual Fuel and Gas/Electric ^{††}			
17 series [†] , LV 30/36 ^{†††} , NV series ^{†††}	Daikin <i>EMURA</i> [†] , 19 series [†] , Daikin <i>AURORA</i> [†] , LV series [†] , FDMQ [†] <i>QUATERNITY</i> [†] , MXS series [†] , Daikin <i>VISTA</i> [†] and RMXS [†]	All products	DP15CH, DP16HH, DP16HM	DP14CH, DP14HH, DP14HM	DP14GM, DP14UM	DP14DM, DP16GM, DP16UM
			 	 	  	  

Split Systems: Heat Pumps and Air Conditioners ^{††}			Gas Furnace ^{††}			Air Handlers and Coils ^{††}
DX20VC, DX18TC, DX17VSS, DX16TC, DZ20VC, DZ18VC, DZ18TC, DZ17VSA, DZ16TC	DX16SA, DX14SA, DX13SA, DZ16SA, DZ14SA	DX14SN, DX13SN, DZ14SN	DM97MC / DC97MC, DM96VC / DC96VC, DM80VC / DC80VC, DM80SC-U and DM96SC-U	DM96VE / DC96VE, DM96SE-U DM96HS / DC96HS, DM96SE / DC96SE DM92SE, DM80VE / DC80VE, DM80SE / DC80SE DM80SE-U	DM92SS, DC92SS, DM80HS, DD80HS, DM80SS / DD80SS	DVPEC, DVFEC, DVPTC, ASPT, ARUF, MBVC, AWUF, ACNF, CAPT, CAPF, CAUF, CHPF, CAPE / CAPEA, CHPE, CSCF
 	 	 	  	  	 	

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 10-Year or 12-Year Parts Limited Warranties, the 10-Year Compressor Replacement Limited Warranty, the 20-Year Heat Exchanger Limited Warranty, the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), and to receive the 2-Year, 6-Year, or 12-Year Unit Replacement Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the 2-Year, 6-Year, and 12-Year Unit Replacement Limited Warranties. Online registration and some of the additional requirements are not required in California or Québec.

^{††}If product installed in a commercial application, limited warranty period is 5 years.

^{†††}If product installed in a commercial application, limited warranty periods will differ depending on the model.

^{††††}Registration not required if installed in a commercial or residential application.



SPLIT SYSTEMS AIR CONDITIONERS | HEAT PUMPS



Split System Air Conditioners									
MODELS	DX20VC	DX18TC	DX17VSS	DX16TC	DX16SA	DX14SA	DX14SN	DX13SA	DX13SN
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	12-Year	6-Year	6-Year	2-Year	6-Year	2-Year
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat and other Daikin communicating equipment)	■	■	■	■	N/A	N/A	N/A	N/A	N/A
SEER	Up to 24.5	Up to 19	Up to 18	Up to 17	Up to 16	Up to 15.5	Up to 15.5	Up to 14.5	Up to 14.4
Compressor Type	Variable-Speed Scroll and Swing	Two-Stage High-Efficiency Scroll	Variable-Speed Swing	Two-Stage High-Efficiency Scroll	High-Efficiency Scroll	Energy-Efficient Scroll	Energy-Efficient	Energy-Efficient Scroll	Energy-Efficient
Internal Diagnostics	■	■	■	■	■	■	N/A	■	N/A
ECM Condensing Unit Fan Motor	■	■	DC	■	N/A	N/A	N/A	N/A	N/A
High-Density Compressor Sound Blanket	■	■	■	■	■	■	N/A	■	N/A
Filter Drier	Field Installed	Factory Installed	Field Installed	Factory Installed	Factory Installed	Factory Installed	Factory Installed	Factory Installed	Factory Installed
ENERGY STAR® Certified**			NO			NO	NO	NO	NO

Heat Pumps								
MODEL	DZ20VC	DZ18VC	DZ18TC	DZ17VSA	DZ16TC	DZ16SA	DZ14SA	DZ14SN
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	12-Year	12-Year	6-Year	6-Year	2-Year
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat and other Daikin communicating equipment)	■	■	■	■	■	N/A	N/A	N/A
SEER	Up to 21	Up to 19	Up to 19	Up to 18	Up to 17	Up to 16	Up to 15	Up to 15
HSPF	Up to 10.0	Up to 10.0	Up to 10	Up to 10.0	Up to 9.7	Up to 9.5	Up to 9.0	Up to 9.0
Compressor Type	Variable-Speed Scroll and Swing	Variable-Speed Swing	Two-Stage High-Efficiency Scroll	Variable-Speed Swing	Two-Stage High-Efficiency Scroll	High-Efficiency Scroll	Energy-Efficient Scroll	Energy-Efficient Scroll
Defrost Technology (with SmartShift®)	Demand	Demand	Time/Temp	Intelligent	Time/Temp	Time/Temp	Time/Temp	Time/Temp
Internal Diagnostics	■	■	■	■	■	■	■	N/A
Factory-Installed Accumulator	■	■	■	■	■	■	■	■
Crankcase Heater	Only on 5-ton	N/A	■	N/A	■	■	■	■
High-Density Compressor Sound Blanket	■	■	■	■	■	■	■	N/A
Filter Drier	Field Installed	Field Installed	Factory Installed	Field Installed	Factory Installed	Factory Installed	Factory Installed	Factory Installed
ENERGY STAR® Certified**		NO		NO				NO

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 12-Year, 6-Year, or 2-Year Unit Replacement Limited Warranty or 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the Unit Replacement Limited Warranty. Online registration and some of the additional requirements are not required in California or Québec.

** Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet **ENERGY STAR®** criteria. Ask your contractor for details or visit www.energystar.gov. Products that are recognized as the Most Efficient of **ENERGY STAR®** in 2021 prevent greenhouse gas emissions by meeting rigorous energy efficiency performance levels set by the U.S. Environmental Protection Agency.

¹ The **ENERGY STAR®** Most Efficient 2021 recognition applies only to systems with the Daikin *One+* smart thermostat

² Products that are recognized as the Most Efficient of **ENERGY STAR®** in 2021 prevent greenhouse gas emissions by meeting rigorous energy efficiency performance levels set by the U.S. Environmental Protection Agency. Select combinations are recognized as the Most Efficient of **ENERGY STAR®** in 2021. Visit the following website for more information: www.energystar.gov/products/most_efficient.

visit www.daikincomfort.com

GAS FURNACES 90% AFUE | 80% AFUE



90% AFUE

MODELS	DM97MC	DC97MC	DM96VC	DM96SC-U*	DC96VC	DM96VE	DC96VE	DM96SE / DM96SE-U*	DC96SE	DM96HS	DC96HS	DM92SE	DM92SS	DC92SS
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	12-Year	12-Year	6-Year	6-Year	6-Year	6-Year	6-Year	6-Year	6-Year	N/A	N/A
Lifetime Heat Exchanger Limited Warranty*	■	■	■	■	■	■	■	■	■	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin One+ smart thermostat and other Daikin communicating equipment)	■	■	■	■	■	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
AFUE	Up to 98%	Up to 98%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 96%	Up to 92%	Up to 92%	Up to 92%
Gas Valve Type	Modulating	Modulating	Two-Stage	Single-Stage	Two-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage	Single-Stage
Self-Diagnostics Control Board	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Tubular, Primary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Secondary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed	Multi-Speed	Multi-Speed ECM	Multi-Speed	Multi-Speed
Igniter Type	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal
ENERGY STAR® Certified**										NO	NO	NO	NO	NO

80% AFUE

MODELS	DM80VC	DC80VC	DM80SC-U*	DM80VE	DC80VE	DM80SE / DM80SE-U*	DC80SE	DM80HS	DD80HS	DM80SS	DD80SS
Unit Replacement Limited Warranty*	12-Year	12-Year	12-Year	6-Year	6-Year	6-Year	6-Year	N/A	N/A	N/A	N/A
Lifetime Heat Exchanger Limited Warranty*	■	■	■	■	■	■	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin One+ smart thermostat and other Daikin communicating equipment)	■	■	■	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
AFUE	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%	Up to 80%
Gas Valve Type	Two-Stage	Two-Stage	Single-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage	Two-Stage	Two-Stage	Single-Stage	Single-Stage
Self-Diagnostics Control Board	■	■	■	■	■	■	■	■	■	■	■
Tubular, Dual-Diameter Primary Heat Exchanger	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed ECM	Multi-Speed	Multi-Speed	Multi-Speed	Multi-Speed
Igniter Type	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride	Silicon Nitride
Installation Options	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Downflow Horizontal	Upflow Horizontal	Dedicated Downflow	Upflow Horizontal	Dedicated Downflow
ENERGY STAR® Certified**	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 12-Year or 6-Year Unit Replacement Limited Warranty, Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home) or 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the Unit Replacement Limited Warranty. Online registration and some of the additional requirements are not required in California or Québec.

** Products that are recognized as the Most Efficient of **ENERGY STAR®** in 2021 prevent greenhouse gas emissions by meeting rigorous energy efficiency performance levels set by the U.S. Environmental Protection Agency.

* All Ultra-Low NOx DM96SE-U, DM80SE-U, DM96SC-U and DM80SC-U models comply with the 14 ng/J emission limit specified in the South Coast Air Quality Management District (SCAQMD) Rule 1111 and San Joaquin Valley Air Pollution Control District (SJVAPCD) Rule 4905. Learn more at www.aqmd.gov or www.valleyair.com. All other furnaces can not be installed in California's South Coast Air Quality Management District (SCAQMD) and San Joaquin Valley Air Pollution Control District (SJVAPCD).

¹ The **ENERGY STAR®** Most Efficient 2021 recognition applies only to systems with the Daikin One+ smart thermostat





Air Handlers								
MODELS	DVPEC Multi-Position	DVFEC Multi-Position	DVPTC Multi-Position	ASPT Multi-Position	ARUF Multi-Position	MBVC Modular Blower	AWUF/AWUT Wall-Mount	ACNF Ceiling-Mount
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat and other Daikin communicating equipment)	■	■	■	N/A	N/A	■	N/A	N/A
Outdoor Variable-Speed Inverter Compatible (Non- <i>Fit</i>)	■	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Compatible with Daikin <i>Fit</i> system	N/A	■	N/A	N/A	N/A	■	N/A	N/A
All-Aluminum Evaporator Coil	■	■	■	■	■	N/A	■	■
Factory-Mounted EEV	■	■	N/A	N/A	N/A	N/A	N/A	N/A
Factory-Mounted TXVs	N/A	N/A	■	■	N/A	N/A	N/A / ■	N/A
R-410A Refrigerant Compatible	■	■	■	■	■	■	■	■
Motor Type	Variable-Speed ECM	Variable-Speed ECM	Variable-Speed ECM	Multi-Speed ECM	Direct-Drive Multi-Speed	Variable-Speed ECM	Direct-Drive Multi-Speed	Direct-Drive Multi-Speed

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration not required in California or Québec.

Coils							
MODEL	CAPEA / CAPE Cased	CAPT Cased	CAPFA / CAPF Cased	CAUFA / CAUF Uncased	CHPE Cased	CHPF Cased	CSCF Slab
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■
All-Aluminum Evaporator Coil	■	■	■	■	■	■	■
R-410A Refrigerant	■	■	■	■	■	■	■
Rust-Resistant, High-Temperature Thermoplastic Drain Pans	■	■	■	■	■	■	■
Electronic Expansion Valve (EEV)	■	N/A	N/A	N/A	■	N/A	N/A
Communicating (Compatible with the Daikin <i>One+</i> smart thermostat and other Daikin communicating equipment)	■	N/A	N/A	N/A	■	N/A	N/A
Compatible with Daikin <i>Fit</i> system**	■	N/A	N/A	N/A	■	N/A	N/A
Factory-Mounted TXV	N/A	■	N/A	N/A	N/A	N/A	N/A
Other Features	Upflow, Downflow	Upflow, Downflow	Upflow, Downflow	Upflow, Downflow	Horizontal "A"	Horizontal "A"	Horizontal Slab

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration not required in California or Québec.

** CAPEA is the only coil compatible with the Daikin *Fit* Heat Pump system.


ENHANCE YOUR ECOSYSTEM WITH OUR ARRAY OF INDOOR AIR QUALITY SOLUTIONS:



Daikin *One*
Home Air Monitor



Daikin *One+*
Smart Thermostat




Daikin *One*
Premium Air Cleaner

CLEAN COMFORT INDOOR AIR ESSENTIALS

FILTRATION
PRODUCTS



VENTILATION
PRODUCTS



PURIFICATION
PRODUCTS











HUMIDITY
CONTROL
PRODUCTS



Learn more about Daikin IAQ solutions at www.daikincomfort.com

SINGLE AND MULTI-ZONE



Single and Multi-Zone Systems														
MODELS	17 series Wall-Mount	19 series Wall-Mount	Daikin EMURA Wall-Mount Heat Pump	Daikin AURORA Wall-Mount, Floor-Mount and FDMQ Ducted Concealed	LV series Wall-Mount	LV series Slim-Duct	FDMQ Ducted Concealed	QUATERNITY series	Daikin VISTA Ceiling- Mount	NV series Wall-Mount	LV 30/36	Daikin AURORA Multi-Zone	MXS series Multi-Zone	SkyAir series
Heat Pump	■	■	■	■	■	■	■	■	■	■		■	■	■
Cooling Only	■	■	—	—	—	—	—	—	—	■	■	—	—	■
SEER	17	Up to 19	Up to 18	Up to 20.3	Up to 24.5	Up to 15.5	Up to 20.2	Up to 26.1	Up to 20.9	Up to 17.5	Up to 19.3	Up to 21.7	Up to 20.2	Up to 18.6
HSPF	9.0	Up to 10	Up to 10	Up to 12.5	Up to 12.5	Up to 10.4	Up to 10.6	Up to 11.0	Up to 11.7	Up to 9.3	—	Up to 12.5	Up to 12.5	Up to 10.4
Capacity (Tons)	0.75 to 2.0	0.75 to 2.0	0.75 to 1.5	0.75 to 2.0	0.75 to 2.0	0.75 & 1.0	0.75 to 2.0	0.75 to 1.25	0.75 to 1.50	2.5 to 3.0	2.5 to 3.0	1.5 to 3.0	1.5 to 4.0	1.5 to 4.0
R-410A Refrigerant	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Inverter Technology	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Remote Control	■	■	■	■	■	■	◆	■	◆	■	■	■	■	◆
12-Year Parts Limited Warranty*	—	■	■	■	■	■	■	■	■	—	—	■	■	—
10-Year Parts Limited Warranty***	—	—	—	—	—	—	—	—	—	■	■	—	—	■
10-Year Parts Limited Warranty*	■	—	—	—	—	—	—	—	—	—	—	—	—	—
ENERGY STAR® Certified**	NO		NO	 FDMQ NO	 Most Efficient 2021 ^{1,2}	NO		 Most Efficient 2021 ^{1,2}		NO	NO			NO

◆ Controller required as accessories.

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive the 10-Year Parts/Compressor Limited Warranty or the 12-Year Parts/Compressor Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Québec.

** Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet **ENERGY STAR®** criteria. Ask your contractor for details or visit www.energystar.gov.

*** Limited Warranty registration not required for residential or commercial installations. For more information, please visit www.daikincomfort.com.


¹ The **ENERGY STAR®** Most Efficient 2021 recognition applies only to systems with the Daikin *One+* smart thermostat.

² Products that are recognized as the Most Efficient of **ENERGY STAR®** in 2021 prevent greenhouse gas emissions by meeting rigorous energy efficiency performance levels set by the U.S. Environmental Protection Agency.





PACKAGED AIR CONDITIONERS | HEAT PUMPS



Packaged Air Conditioners		
MODEL	DP15CH	DP14CH
12-Year Parts Limited Warranty*	■	■
6-Year Unit Replacement Limited Warranty*	■	N/A
2-Year Unit Replacement Limited Warranty*	N/A	■
SEER	15	14
Capacity (Tons)	2 to 5 Tons	2 to 5 Tons
Installation Options	Dedicated Horizontal	Dedicated Horizontal
Scroll Compressor	■	■
Louvered Condenser Coil Protection	■	■
Heavy-Gauge Galvanized Steel Cabinet	■	■
ENERGY STAR® Certified		NO

* Complete warranty details available from your local dealer/contractor at www.daikincomfort.com. To receive 2 or 6-Year unit replacement Limited Warranty and 12-year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration not required in California or Québec.

Please see product specifications for more details on accessories and options at daikincomfort.com

Packaged Heat Pumps					Dual Fuel	Packaged Gas/Electric			
MODELS	DP16HH	DP16HM	DP14HH	DP14HM	DP14DM [^]	DP16GM [^]	DP16UM ^{^^}	DP14GM [^]	DP14UM ^{^^}
Unit Replacement Limited Warranty*	6-Year	6-Year	2-Year	2-Year	6-Year	6-Year	6-Year	2-Year	2-Year
Lifetime Heat Exchanger Limited Warranty*	N/A	N/A	N/A	N/A	■	■	■	■	■
12-Year Parts Limited Warranty*	■	■	■	■	■	■	■	■	■
SEER	Up to 16	Up to 16	14.5	14	Up to 14.5	Up to 16	Up to 16	14	14
AFUE	N/A	N/A	N/A	N/A	81% AFUE	81% AFUE	81% AFUE	81% AFUE	81% AFUE
HSPF	Up to 8.2	Up to 8.2	8.0	8.0	8.0	N/A	N/A	N/A	N/A
Capacity (Tons)	2 to 5 Tons	2 to 5 Tons	2 to 5 Tons	2 to 5 Tons	2 to 4 Tons	2 to 5 Tons	2½ & 3 Tons	2 to 5 Tons	2 to 5 Tons
Scroll Compressor	■	■	■	■	■	■	■	■	■
Heavy-Gauge Galvanized Steel Cabinet	■	■	■	■	■	■	■	■	■
Louvered Condenser Coil Protection	■	■	■	■	■	■	■	■	■
Tubular Heat Exchanger	N/A	N/A	N/A	N/A	Stainless Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger	Stainless Steel Dual-Diameter Tubular Heat Exchanger
Installation Option	Dedicated Horizontal	Multi Position	Dedicated Horizontal	Multi Position	Multi Position	Multi Position	Multi Position	Multi Position	Multi Position
ENERGY STAR® Certified	NO		NO	NO	NO		NO	NO	NO

* Complete warranty details available from your local dealer/contractor or at www.daikincomfort.com. To receive the 10-Year or 12-Year Parts Limited Warranties, the 10-Year Compressor Replacement Limited Warranty, the 20-Year Heat Exchanger Limited Warranty, the Lifetime Heat Exchanger Limited Warranty (good for as long as you own your home), and to receive the 2-Year, 6-Year, or 12-Year Unit Replacement Limited Warranty, online registration must be completed within 60 days of installation. Additional requirements for annual maintenance are required for the 2-Year, 6-Year, and 12-Year Unit Replacement Limited Warranties. Online registration and some of the additional requirements are not required in California or Québec.


[^] This furnace does not comply with the SCAQMD Rule 1111 14 ng/J NOx emission limit and therefore is not eligible for installation in California's South Coast Air Quality Management District (SCAQMD). This furnace may be installed in SJVAPCD until 4/1/2022 provided the date of manufacture is September 30, 2021 or earlier and the emission fees are paid.

^{^^} This furnace complies with the SCAQMD Rule 1111 14ng/J NOx emission limit and therefore is eligible for installation in California's South Coast Air Quality Management District (SCAQMD) and San Joaquin Valley Air Pollution Control District (SJVAPCD).

Daikin provides innovative, premium quality indoor climate management solutions to meet the changing needs of residential, commercial and industrial customers.



DAIKIN *ONE+*
SMART THERMOSTAT



Daikin *One+* smart thermostat

Many Daikin products are Daikin *One+* smart thermostat compatible. If you seek ultimate home comfort, the Daikin *One+* smart thermostat is an integrated solution for controlling temperature, humidity, and air quality. Learn more at www.daikinone.com.

Why choose Daikin?

Daikin is the world leader when it comes to heating and cooling. Thanks to our constant innovation in comfort, energy efficiency, control and reliability, we define the benchmarks for quality within the industry.

Expert reviews from our most important critics.

Daikin offers a wide selection of choices for energy-efficient indoor comfort. As a worldwide leader in heating and cooling technology, Daikin is also a highly-rated brand. See for yourself at www.daikincomfort.com/reviews.

Additional Information

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.



Our continuing commitment to quality products may mean a change in specifications without notice.

© 2021 **DAIKIN NORTH AMERICA LLC** · Houston, Texas · USA · www.daikincomfort.com or www.daikinac.com

PM-DKNLINE_10-21