



# LIGHT COMMERCIAL PRODUCT LINE CARD





Harnessing energy-efficient performance,  
proven technology, and *air intelligence*.

## Packaged Unit Models

Standard Efficiency DFC | DFG | DFH  
(3-6 Ton)

High-Efficiency DRC | DRG | DRH  
(3-6 Ton)



Standard Efficiency DFC | DFG | DFH  
(7½ - 12½ Ton, 7½ - 10 Ton Heat Pump)

High-Efficiency DRC | DRG  
(7½ - 12½ Ton)

Standard Efficiency DFC | DFG  
(15 - 25 Tons)



DP14HM | DP14CM | DP14GM | DP14UM

## Air Handler / Split System



Commercial Air Handler (DAX)



Split System Air Conditioners DX3SEA | DX14XA  
Split System Heat Pumps DZ4SEA | DZ14XA

## Commercial comfort. No compromise.

Get curb appeal, energy efficient performance and outstanding product limited warranties\*.

Get on the ground floor with one of the world's largest HVAC manufacturers and start growing your business. Daikin brand commercial packaged units offer ease of installation, efficient operation and outstanding product limited warranty\* coverage. Whether you need a straight cooling

unit, heat pump, or gas/electric, you'll find cogent features that meet your project needs as well as our most durable tubular heat exchanger. When you want the best, don't compromise. Demand Daikin!

Standard Efficiency Packaged Gas/Electric (3-Phase Models)					
	DFG Series				
Nominal Capacity	3 to 5 Tons	6 Tons	7½ to 12½ Tons	15 Tons	20 to 25 Tons
Cooling Efficiency (EER / IEER), (EER2 / SEER2)	11 / 13.4 EER2 / SEER2	11.2 / 15.5	Up to 11.2 / Up to 14.8	10.8 / 14	10.8 / 14
Drive type	Direct Drive	Direct Drive			
Power input	208/230v / 460v / 575v	208/230v / 460v / 575v	208/230v / 460v / 575v	208/230v / 460v / 575v	208/230v / 460v / 575v
R-410A Refrigerant	■	■	■	■	■
Gas Efficiencies	80% (3 phase), 81% (1 phase)	80%			
Tubular Heat Exchanger	■	■	■	■	■
Ultra-Low NOx	■				
Two-Stage Heating		■	■	■	■
Two-Stage Cooling		■	■	■	■
Scroll Compressor	■	■	■	■	■
Standard 2" Filters	■	■	■	Convertible to 4"	Convertible to 4"
Factory-Installed Filter Drier	■	■	■	■	■
Micro Channel Condensing Coil	■	■	■	■	■
Terminal Block			■	■	■
5-Year Parts Limited Warranty*	■	■	■	■	■
20-Year Heat Exchanger Limited Warranty*	■	■	■	■	■

Standard Efficiency Packaged Air Conditioners (3-Phase Models)					
	DFC Series				
Nominal Capacity	3 to 5 Tons	6 Tons	7½ to 12½ Tons	15 Tons	20 to 25 Tons
Cooling Efficiency (EER / IEER), (EER2/SEER2)	11/13.4 EER2/SEER2	11.2 / 15.5	Up to 11.2 / Up to 15	11.0 / 14	Up to 11 / Up to 14
Drive type	Direct Drive	Direct Drive			
Power input	208/230v / 460v / 575v	208/230v / 460v / 575v	208/230v / 460v / 575v	208/230v / 460v / 575v	208/230v / 460v / 575v
R-410A Refrigerant	■	■	■	■	■
Two-Stage Cooling		■	■	■	■
Scroll Compressor	■	■	■	■	■
Standard 2" Filter Racks	■	■	■	Convertible to 4"	Convertible to 4"
Factory-Installed Filter Drier	■	■	■	■	■
Micro Channel Condensing Coil	■	■	■	■	■
Terminal Block	■	■	■	■	■
5-Year Parts Limited Warranty*	■	■	■	■	■

Standard Efficiency Packaged Heat Pumps (3-Phase Models)		
	DFH Series	
Nominal Capacity	3 to 5 Tons	6 to 10 Tons
Cooling Efficiency (EER2 / SEER2), (EER / IEER)	11 / 13.4 EER2 / SEER2	Up to 11 / 14.5 EER / IEER
Drive type	Direct Drive	Direct Drive
Power input	208/230v / 460v / 575v	208/230v / 460v / 575v
Heating Efficiency (COP at 47°F)	Up to 3.5	Up to 3.5
R-410A Refrigerant	■	■
Two-Stage Cooling	■ (6 ton only)	■
Scroll Compressor	■	■
Standard 2" Filters	■	■
Factory-Installed Filter Drier	■	■
Terminal Block	■	■
5-Year Parts Limited Warranty*	■	■



#### High-Efficiency Packaged Air Conditioners (3-Phase Models)

	DRC Series	
Nominal Capacity	3 to 5 Tons	6 to 12.5 Tons
Cooling Efficiency (EER / IEER), (EER2/SEER2)*	Up to 12.1 / Up to 16.4	Up to 12.4 / 17.1 (EER / IEER)
Drive type	ECM Direct-Drive	ECM Direct-Drive
Power input	208/230v / 460v / 575v	208/230v / 460v / 575v
R-410A Refrigerant	■	■
Two-Stage Cooling	■	■
Scroll Compressor	■	■
Standard 2" Filter Racks	■	■
Factory-Installed Filter Drier	■	■
5mm Condensing Coil (on select models)	■	■
Terminal Block	■	■
5-Year Parts Limited Warranty*	■	■

#### High-Efficiency Packaged Heat Pumps (3-Phase Models)

	DRH Series	
Nominal Capacity	3 to 6 Tons	
Cooling Efficiency (EER2 / SEER2), (EER / IEER)	Up to (12 / 16.2 SEER2), (11.5 / 17 IEER)	
Drive type	ECM Direct-Drive	
Power input	208/230v / 460v / 575v	
Heating Efficiency (COP at 47°F)	Up to 4.0	
R-410A Refrigerant	■	■
Two-Stage Cooling	■	■
Scroll Compressor	■	■
Standard 2" Filters	■	■
Factory-Installed Filter Drier	■	■
Terminal Block	■	■
5-Year Parts Limited Warranty*	■	■

#### High-Efficiency Packaged Gas/Electric (3-Phase Models)

	DRG Series	
Nominal Capacity	3 to 5 Tons	6- 12.5 Tons
Cooling Efficiency (EER / IEER), (EER2 / SEER2)*	Up to 12.1 / Up to 16.4	Up to 12.2 / Up to 17.1
Drive type	ECM Direct-Drive	ECM Direct-Drive
Power input	208/230v / 460v / 575v	208/230v / 460v / 575v
R-410A Refrigerant	■	■
Gas Efficiencies	81%	81%
Tubular Heat Exchanger	■	■
Ultra-Low NOx**	■	■
Two-Stage Heating	■	■
Two-Stage Cooling	■	■
Scroll Compressor	■	■
Standard 2" Filters	■	■
Factory-Installed Filter Drier	■	■
5mm Condensing Coil (on select models)	■	■
Contactor with Lugs	■	■
5-Year Parts Limited Warranty*	■	■
20-Year Heat Exchanger Limited Warranty*	■	■

\*\*Up to 5 ton only

OUTSTANDING LIMITED  
WARRANTY\* PROTECTION



\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).







DF Standard Efficiency Series Packaged Units (1-Phase Models)			
	DFG Gas/Electric	DFH Heat Pump	DFC Air Conditioner
Nominal Capacity	3, 4 and 5 Tons	3, 4 and 5 Tons	3, 4 and 5 Tons
Cooling Efficiency (EER2 / SEER2)	11 / 13.4		
Drive Type	Direct Drive		
R-410A Refrigerant	■	■	■
Gas Efficiencies	81%	N/A	
HSPF	N/A	8.0	N/A
Factory-Installed Filter Drier	■	■	■
Micro Channel Condensing Coil	■	N/A	■
5-Year Parts Limited Warranty*	■	■	■
20-Year Heat Exchanger Limited Warranty*	■	N/A	



DR Series Packaged Units (1-Phase Models)			
	DRG Gas/Electric	DRH Heat Pump	DRC Air Conditioner
Nominal Capacity	3, 4 and 5 Tons	3, 4 and 5 Tons	3, 4 and 5 Tons
Cooling Efficiency (SEER2 / EER2)	Up to 16.4 / 12.1	Up to 16.2 / 12	Up to 16.4 / 12.1
Drive Type	ECM Direct Drive		
R-410A Refrigerant	■	■	■
Gas Efficiencies	81%	N/A	
Ultra-Low NOx	■		
COP	N/A	4	N/A
Factory-Installed Filter Drier	■	■	■
5mm Condensing Coil	■		■
5-Year Parts Limited Warranty*	■	■	■
20-Year Heat Exchanger Limited Warranty*	■	N/A	



M Series Packaged Units (3-Phase Models)				
	DP14GM Gas/Electric	DP14UM Gas/Electric Ultra Low-NO <sub>x</sub>	DP14HM Heat Pump	DP14CM Air Conditioner
Nominal Capacity	3, 4 and 5 Tons	3, 4 and 5 Tons	3, 4 and 5 Tons	3, 4 and 5 Tons
Cooling Efficiency (SEER)	14			
R-410A Refrigerant	■	■	■	■
Gas Efficiencies	81%	81%	N/A	
HSPF	N/A	N/A	8.0	N/A
Factory-Installed Filter Drier	■	■	■	■
Tubular Heat Exchanger	■	■	N/A	
5-Year Parts Limited Warranty*	■	■	■	■
20-Year Heat Exchanger Limited Warranty*	■	■	N/A	

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikinac.com](http://www.daikinac.com).

## Split System Air Conditioners and Heat Pumps

	Commercial Air Conditioner Condensing Units			Commercial Heat Pump Condensing Units		
	DX13	DX3SEA	DX14XA	DZ14	DZ4SEA	DZ14XA
Nominal Capacity	4- 5 Tons	3, 4 and 5 Tons	7½ and 10 Tons	4- 5 Tons	3, 4 and 5 Tons	7½ and 10 Tons
Cooling Efficiency	13 SEER	13.4 SEER2	11.2 EER / 15.2 SEER	14 SEER	14.3 SEER2	11 EER / 14.5 SEER
2-Stage Compressor	N/A	N/A	■	N/A	N/A	■
R-410A Refrigerant	■	■	■	■	■	■
Louvered Sound Control Top	■	■	■	■	■	■
Factory-Installed Filter Drier	■	■	■	■	■	■
Energy-Efficient Compressor	■	■	■	■	■	■
Steel Louvered Coil Guard	■	■	■	■	■	■
High-Efficiency Copper Tube/ Enhanced Aluminum Fin Coil	■	■	■	■	■	■
Discharge Line Muffler	N/A	N/A	N/A	■	■	■
Factory-Installed Suction Line Accumulator	N/A	N/A	N/A	■	■	■
Reliable Defrost Control	N/A	N/A	N/A	■	■	■
5-Year Parts Limited Warranty*	■	■	■	■	■	■



## Air Handler (Two-Speed System)

	Air Handler Unit
	DAX Series
Nominal Capacity	7½ and 10 Tons
R-410A Refrigerant	■
TXV Control	■
Transformer and Blower Relay	■
Electric Heat Kits Available as a Field Installation	■
Horizontal and Vertical Condensate Pans	■
Built-In Filter Rack for 2" Filter (included)	■
Belt-Driven Draw-Thru Centrifugal Blower	■
Two-Speed Belt-Drive Motor	■
5-Year Parts Limited Warranty*	■

## OUTSTANDING LIMITED WARRANTY\* PROTECTION



\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).



## DF and DR Series

### Select Field Accessories

- » 14" and 24" Roof Curb
- » 25% Manual Fresh Air Damper
- » 25% Motorized Fresh Air Damper
- » Burglar Bar Sleeves with Supply and Return
- » Concentric Duct Kit
- » Condenser Coil Hail Guards
- » Downflow Economizer
- » Electric Heat
- » High Altitude Kit (Gas/Electric)
- » Horizontal Economizers
- » Hold Down Bracket Kit
- » Low Ambient Kit
- » LP Conversion Kit (Gas/Electric)
- » Power Exhaust
- » MERV 8 and MERV 13 Air Filters
- » Crankcase heater kits

### Factory-Installed Options

- » Stainless Steel Heat Exchanger (Gas/Electric Units)
- » Electric Heat Kits (Heat Pumps and Air Conditioners)
- » Low Ambient Kit
- » Condenser Coil Hail Guards
- » High-Static Kit (select models)
- » Downflow Economizer
  - Ultra Low-Leak
  - Low-Leak
- » Non-Fused Disconnect Switch (3-phase only)
- » Powered Convenience Outlet
- » Non-Powered Convenience Outlet
- » Smoke Detectors (Supply Air and/or Return Air)
- » Hinged Doors
- » Phase Monitor
- » High-Static Kit (select models)
- » Daikin DDC *iLINC* controller
- » HGRH (Available on DRC and DRG models)

## DP14 M Series

### Field Accessories

- » Horizontal Duct Covers
- » Downflow Economizer
- » External Horizontal Filter Rack
- » Horizontal Economizer
- » 25% Manual Fresh Air Damper
- » 25% Motorized Fresh Air Damper
- » Outdoor Thermostat and Emergency Heat Relay Kit
- » Outdoor Thermostat Kit with Lockout Stat
- » Roof Curb
- » Square to Round Adapters
- » High Altitude Kit (Gas/Electric Units)
- » LP Conversion Kit (Gas/Electric Units)

## DX3SEA/DX14XA Series

### Accessories

- » Anchor Bracket Kit
- » Anti-Short Cycle Kit
- » Freeze Protection Kit
- » Liquid Line Solenoid Kit
- » Low Ambient Kit
- » Crankcase Heater
- » Outdoor Thermostat
- » TXV Kit

## DZ4SEA/DX14XA Series

### Accessories

- » Anchor Bracket Kit
- » Low Ambient Kit
- » Freeze Protection Kit
- » Outdoor Thermostat
- » Outdoor Thermostat with Lockout Stat
- » TXV Kit

<sup>1</sup> Not all options/accessories are available for all units. Please see product specifications for more details on accessories and options available.

#### About Daikin:

Daikin Industries, Ltd. (DIL) is a global Fortune 1000 company and is recognized as one of the largest HVAC (Heating, Ventilation, Air Conditioning) manufacturers in the world. Founded in 1924, Daikin is approaching 100 years of HVAC worldwide leadership. DIL is primarily engaged in developing indoor comfort systems and refrigeration products for residential, commercial, and industrial applications. Its consistent success is derived, in part, from a focus on innovative, energy-efficient, and premium quality indoor climate and comfort management solutions.

**Daikin** provides innovative, premium quality indoor climate management solutions to meet the changing needs of residential, commercial and industrial customers.

#### ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

Visit [www.daikinac.com](http://www.daikinac.com) to learn more.

#### Gas/Electric only:

For installation in California's South Coast Air Quality Management District (SCAQMD) only: This furnace does not meet the SCAQMD Rule 1111 14 ng/J NOx emission limit, and thus is subject to a mitigation fee of up to \$450. This furnace is not eligible for the SCAQMD Clean Air Furnace Rebate Program: [www.CleanAirFurnaceRebate.com](http://www.CleanAirFurnaceRebate.com).



Our continuing commitment to quality products may mean a change in specifications without notice.

© 2023 **DAIKIN COMFORT TECHNOLOGIES NORTH AMERICA, INC.** · Houston, Texas · USA · [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com)

PM-LCDL\_11-23