



Current R-410A and New R-32 Models



LIGHT  
COMMERCIAL  
PRODUCT  
LINE CARD

## Packaged Rooftop Units

Harnessing energy-efficient performance, proven technology, and *air intelligence*.

Standard-Efficiency DFC | DFG | DFH (3-6 Tons)

**R-32:** Standard-Efficiency DSG | DSC | DSH (3-6 Tons)

High-Efficiency DRC | DRG | DRH (3-6 Tons)

**R-32:** High-Efficiency DHC | DHG | DHH (3-6 Tons)



Standard-Efficiency DFC | DFG | DFH  
(7½ -12½ Tons, 7½ -10 Tons Heat Pump)

**R-32:** Standard-Efficiency DSC | DSH | DSG  
(7½ -12½ Tons, 7½ -10 Tons Heat Pump)

High-Efficiency DRC | DRG  
(7½ -12½ Tons)

**R-32:** High-Efficiency DHC | DHG  
(7½ -12½ Tons)

Standard-Efficiency DFC | DFG (15 -25 Tons)

**R-32:** Standard-Efficiency DSC | DSG (15 -25 Tons)



DP14HM | DP14CM | DP14GM | DP14UM

**R-32:** DP3HM | DP3GM | DP3UM

## Air Handler / Split Systems



Commercial Air Handler (DAX)

**R-32:** Commercial Air Handler (DAQ)



Split System Air Conditioners DX3SEA | DX14XA

Split System Heat Pumps DZ4SEA | DZ14XA

**R-32:** Split System Air Conditioner DC3SEA | DC6TE

**R-32:** Split System Heat Pumps DH4SEA | DH6TE



# R-410A Commercial Packaged Products

Get curb appeal, energy efficient performance and outstanding product limited warranties\*.

Get on the ground floor with one of the world's largest HVAC manufacturers and start growing your business. Daikin brand commercial packaged units offer ease of installation, efficient operation and outstanding product limited warranty\* coverage.

Whether you need a straight cooling unit, heat pump, or gas/electric, you'll find cogent features that meet your project needs as well as our most durable tubular heat exchanger. When you want the best, don't compromise. Demand Daikin!

R-410A Standard Efficiency Packaged Gas/Electric DFG Series					
Nominal Capacity	3 to 5 Tons	6 Tons	7½ to 12½ Tons	15 Tons	20 to 25 Tons
Cooling Efficiency	11 EER2 / 13.4 SEER2	11.2 EER / 15.5 IEER	Up to 11.2 EER / 14.8 IEER	10.8 EER / 14 IEER	Up to 10.8 EER / 14 IEER
Drive type	Direct-Drive				
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V	(3PH) 460V	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V	(3PH) 575V	(3PH) 575V	(3PH) 575V
Gas Efficiencies	80% Thermal Efficiency (3 PH), 81% AFUE (1 PH)		81% Thermal Efficiency		
Tubular Heat Exchanger	■	■	■	■	■
Ultra-Low NO <sub>x</sub>	■	N/A	N/A	N/A	N/A
Two-Stage Heating	N/A	■	■	■	■
Two-Stage Cooling	N/A	■	■	■	■
Scroll Compressor	■	■	■	■	■
Standard 2" Filters	■	■	■	Convertible to 4"	Convertible to 4"
Factory-Installed Filter Drier	■	■	■	■	■
Microchannel Condenser Coil	■	■	■	■	■
5-Year Parts Limited Warranty*	■	■	■	■	■
20-Year Heat Exchanger Limited Warranty*	■	■	■	■	■

R-410A Standard Efficiency Packaged Air Conditioners DFC Series					
Nominal Capacity	3 to 5 Tons	6 Tons	7½ to 12½ Tons	15 Tons	20 to 25 Tons
Cooling Efficiency	11 EER2 / 13.4 SEER2	11.2 EER / 15.5 IEER	Up to 11.2 EER / 15 IEER	11 EER / 14 IEER	Up to 11 EER / 14 IEER
Drive type	Direct-Drive				
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V	(3PH) 460V	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V	(3PH) 575V	(3PH) 575V	(3PH) 575V
Two-Stage Cooling	N/A	■	■	■	■
Scroll Compressor	■	■	■	■	■
Standard 2" Filter Racks	■	■	■	Convertible to 4"	Convertible to 4"
Factory-Installed Filter Drier	■	■	■	■	■
Microchannel Condenser Coil	■	■	■	■	■
5-Year Parts Limited Warranty*	■	■	■	■	■

R-410A Standard Efficiency Packaged Heat Pumps DFH Series		
Nominal Capacity	3 to 5 Tons	6 to 10 Tons
Cooling Efficiency	11 EER2 / 13.4 SEER2	Up to 11 EER / 14.5 IEER
Drive type	Direct-Drive	
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V
Heating Efficiency (COP at 47°F)	6.7 HSPF2	Up to 3.5
Two-Stage Cooling	■	■
Scroll Compressor	■	■
Standard 2" Filters	■	■
Factory-Installed Filter Drier	■	■
7mm Condenser Coil	■	■
5-Year Parts Limited Warranty*	■	■

### OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).



## R-32 Commercial Packaged Products

## R-32 Standard Efficiency Packaged Gas/Electric DSG Series

Nominal Capacity	3 to 5 Tons	6 Tons	7½ to 12½ Tons	15 to 20 Tons	25 Tons
Cooling Efficiency	12.0 EER2 / 14.0 SEER2	11.8 EER / 16.7 IEER	Up to 12 EER / Up to 16 IEER	10.8 EER / 14 IEER	9.8 EER / 13 IEER
Drive type	Direct-Drive				
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V	(3PH) 460V	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V	(3PH) 575V	(3PH) 575V	(3PH) 575V
Gas Efficiencies	80% Thermal Efficiency (3 PH), 81% AFUE (1 PH)		81% Thermal Efficiency		
Tubular Heat Exchanger	■	■	■	■	■
Ultra-Low NO <sub>x</sub>	■	N/A	N/A	N/A	N/A
Two-Stage Heating	N/A	■	■	■	■
Two-Stage Cooling	N/A	■	■	■	■
Scroll Compressor	■	■	■	■	■
Standard 2" Filters	■	■	■	Convertible to 4"	Convertible to 4"
Factory-Installed Filter Drier	■	■	■	■	■
Microchannel Condenser Coil	■	■	■	■	■
5-Year Parts Limited Warranty*	■	■	■	■	■
20-Year Heat Exchanger Limited Warranty*	■	■	■	■	■

## R-32 Standard Efficiency Packaged Air Conditioners DSC Series

Nominal Capacity	3 to 5 Tons	6 Tons	7½ to 12½ Tons	15 to 20 Tons	25 Tons
Cooling Efficiency	12.0 EER2 / 14.0 SEER2	11.8 EER / 16.7 IEER	Up to 12 / Up to 16	11 EER / 14.2 IEER	10 EER / 13.2 IEER
Drive type	Direct-Drive				
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V	(3PH) 460V	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V	(3PH) 575V	(3PH) 575V	(3PH) 575V
Two-Stage Cooling	N/A	■	■	■	■
Scroll Compressor	■	■	■	■	■
Standard 2" Filter Racks	■	■	■	Convertible to 4"	Convertible to 4"
Factory-Installed Filter Drier	■	■	■	■	■
Microchannel Condenser Coil	■	■	■	■	■
5-Year Parts Limited Warranty*	■	■	■	■	■

## R-32 Standard Efficiency Packaged Heat Pumps DSH Series

Nominal Capacity	3 to 5 Tons	6 Tons	7½ to 10 Tons
Cooling Efficiency	11 EER2 / 13.4 SEER2	Up to 11 / 14.5 EER / IEER	Up to 11.4 EER / 16 IEER
Drive type	Direct-Drive		
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V	(3PH) 575V
Heating Efficiency (COP at 47°F)	6.9 HSPF2	3.4 COP	Up to 3.4 COP
Two-Stage Cooling	N/A	■	■
Scroll Compressor	■	■	■
7mm Condenser Coil	■	■	■
Standard 2" Filters	■	■	■
Factory-Installed Filter Drier	■	■	■
5-Year Parts Limited Warranty*	■	■	■



## OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).



# R-410A Commercial Packaged Products

Air Conditioners | Heat Pumps | Gas/Electric

R-410A High-Efficiency Packaged Air Conditioners DRC Series		
Nominal Capacity	3 to 5 Tons	6 to 12.5 Tons
Cooling Efficiency	Up to 12.1 EER2 / 16.4 SEER2	Up to 12.4 EER / 17.1 IEER
Drive type	Direct-Drive	
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V
Two-Stage Cooling	■	■
Scroll Compressor	■	■
Standard 2" Filter Racks	■	■
Factory-Installed Filter Drier	■	■
5mm Condenser Coil	■	■
5-Year Parts Limited Warranty*	■	■

R-410A High-Efficiency Packaged Heat Pumps DRH Series	
Nominal Capacity	3 to 6 Tons
Cooling Efficiency	3 to 5 Ton, Up To (12 EER2 / 16.2 SEER2)
	6 Ton (11.5 EER / 17 IEER)
Drive type	Direct-Drive
Power input	(1PH & 3PH) 208 / 230V
	(3PH) 460V
	(3PH) 575V
Heating Efficiency (COP at 47°F)	Up to 4.0
Two-Stage Cooling	■
Scroll Compressor	■
Standard 2" Filters	■
Factory-Installed Filter Drier	■
7mm Condenser Coil	■
5-Year Parts Limited Warranty*	■

R-410A High-Efficiency Packaged Gas/Electric DRG Series		
Nominal Capacity	3 to 5 Tons	6 to 12.5 Tons
Cooling Efficiency	Up to 12.1 EER2 / 16.4 SEER2	Up to 12.2 EER / 17.1 IEER
Drive type	Direct-Drive	
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V
Gas Efficiencies	81% AFUE	81% Thermal Efficiency
Tubular Heat Exchanger	■	■
Ultra-Low NO <sub>x</sub>	■	N/A
Two-Stage Heating	■	■
Two-Stage Cooling	■	■
Scroll Compressor	■	■
Standard 2" Filters	■	■
Factory-Installed Filter Drier	■	■
5mm Condenser Coil	■	■
5-Year Parts Limited Warranty*	■	■
20-Year Heat Exchanger Limited Warranty*	■	■



## OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).



## R-32 Commercial Packaged Products

## R-32 High-Efficiency Packaged Air Conditioners DHC Series

Nominal Capacity	3 to 5 Tons	6 to 12.5 Tons
Cooling Efficiency	Up to 12.5 EER2 / 16.6 SEER2	Up to 12.5 EER / 18.6 IEER
Drive type	Direct-Drive	
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V
Two-Stage Cooling	■	■
Scroll Compressor	■	■
Standard 2" Filter Racks	■	■
Factory-Installed Filter Drier	■	■
5mm Condenser Coil	■	■
5-Year Parts Limited Warranty*	■	■

## R-32 High-Efficiency Packaged Heat Pumps DHH Series

Nominal Capacity	3 to 5 Tons	6 Tons
Cooling Efficiency	Up to 13.00 EER2 / 16.8 SEER2	12.0 EER / 17.2 IEER
Drive type	Direct-Drive	
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V
Heating Efficiency (COP at 47°F)	7.4 HSPF2	3.5 COP
Two-Stage Cooling	■	■
7mm Condensing Coil	■	■
Scroll Compressor	■	■
Standard 2" Filters	■	■
Factory-Installed Filter Drier	■	■
5-Year Parts Limited Warranty*	■	■

## R-32 High-Efficiency Packaged Gas/Electric DHG Series

Nominal Capacity	3 to 5 Tons	6 to 12.5 Tons
Cooling Efficiency	Up to 12.5 EER2 / Up to 16.6 SEER2	Up to 12.5 EER / Up to 18.6 IEER
Drive type	Direct-Drive	
Power input	(1PH & 3PH) 208 / 230V	(3PH) 208 / 230V
	(3PH) 460V	(3PH) 460V
	(3PH) 575V	(3PH) 575V
Gas Efficiencies	81% AFUE	81% Thermal Efficiency
Tubular Heat Exchanger	■	■
Ultra-Low NO <sub>x</sub>	■	N/A
Two-Stage Heating	■	■
Two-Stage Cooling	■	■
Scroll Compressor	■	■
Standard 2" Filters	■	■
Factory-Installed Filter Drier	■	■
5mm Condenser Coil	■	■
5-Year Parts Limited Warranty*	■	■
20-Year Heat Exchanger Limited Warranty*	■	■



## OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).



## R-410A Commercial Packaged Products

R-410A M Series Packaged Units (3-Phase Models)				
MODEL:	DP14GM Gas/Electric	DP14UM Gas/Electric Ultra Low-NO <sub>x</sub>	DP14HM Heat Pump	DP14CM Air Conditioner
Nominal Capacity	3, 4 and 5 Tons	3, 4 and 5 Tons	3, 4 and 5 Tons	3, 4 and 5 Tons
Cooling Efficiency	14 SEER			
AFUE	81%	81%	N/A	
Power Input	(3PH) 208 / 230V			
HSPF	N/A	N/A	8.0	N/A
Factory-Installed Filter Drier	■	■	■	■
Tubular Heat Exchanger	■	■	N/A	
5-Year Parts Limited Warranty*	■	■	■	■
20-Year Heat Exchanger Limited Warranty*	■	■	N/A	



### OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).

## R-410A Commercial Split Systems

R-410A Units:				
MODEL:	DX3SEA	DX14XA	DZ4SEA	DZ14XA
Nominal Capacity	3, 4 and 5 Tons	7½ and 10 Tons	3, 4 and 5 Tons	7½ and 10 Tons
Cooling Efficiency	13.4 SEER2	11.2 EER / 15.2 IEER	14.3 SEER2	11 EER / 14.5 IEER
Heating Efficiency (minimum)	N/A	N/A	7.5 HSPF2	3.4 (COP at 47F)
2-Stage Compressor	N/A	■	■	■
Louvered Sound Control Top	■	■	■	■
Factory-Installed Filter Drier	■	■	■	■
Energy-Efficient Compressor	■	■	■	■
Steel Louvered Coil Guard	■	■	■	■
High-Efficiency Copper Tube / Enhanced Aluminum Fin Coil	■	■	■	■
Discharge Line Muffler	N/A	N/A	■	■
Factory-Installed Suction Line Accumulator	N/A	N/A	■	■
Reliable Defrost Control	N/A	N/A	■	■
5-Year Parts Limited Warranty*	■	■	■	■



### OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).



# R-32 Commercial Packaged Products

Gas/Electric | Heat Pumps | Air Conditioners

## R-32 M Series Packaged Units (3-Phase Models)

MODEL:	DP3GM Gas/Electric	DP3UM Gas/Electric Ultra Low-NO <sub>x</sub>	DP3HM Heat Pump
Nominal Capacity	3, 4, and 5 Tons	3, 4, and 5 Tons	3, 4, and 5 Tons
Cooling Efficiency	10.6 EER2 / 13.4 SEER2	10.6 EER2 / 13.4 SEER2	10.6 EER2 / 13.4 SEER2
AFUE	81%	81%	N/A
Power Input	(3PH) 208 / 230V		
HSPF2	N/A	N/A	6.7
Factory-Installed Filter Drier	■	■	■
Tubular Heat Exchanger	■	■	N/A
5-Year Parts Limited Warranty*	■	■	■
20-Year Heat Exchanger Limited Warranty*	■	■	N/A



### OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).

# R-32 Commercial Split Systems

Air Conditioners | Heat Pumps

R-32 Units:	Commercial Air Conditioner Condensing Units		Commercial Heat Pump Condensing Units	
MODEL:	DC3SEA	DC6TE	DH4SEA	DH6TE
Nominal Capacity	3, 4 and 5 Tons	7½ and 10 Tons	3, 4 and 5 Tons	7½ and 10 Tons
Cooling Efficiency (Minimum Efficiency)	13.4 SEER2	16.4 IEER	14.5 SEER2	16 IEER
Heating Efficiency (COP at 47° F)	N/A	N/A	7.5 to 8.2 HSPF2	3.5 (7½ Tons) & 3.4 (10 Tons)
2-Stage Compressor	N/A	■	N/A	■
Louvered Sound Control Top	■	■	■	■
Factory-Installed Filter Drier	■	■	■	■
Energy-Efficient Compressor	■	■	■	■
Steel Louvered Coil Guard	■	■	■	■
High-Efficiency Copper Tube / Enhanced Aluminum Fin Coil	■	■	■	■
Discharge Line Muffler	N/A	N/A	■	■
Factory-Installed Suction Line Accumulator	N/A	N/A	■	■
Reliable Defrost Control	N/A	N/A	■	■
5-Year Parts Limited Warranty*	■	■	■	■



### OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).





## Air Handlers



MODEL:	Air Handler Unit	
	DAQ Series	DAX Series
Nominal Capacity	7½ and 10 Tons	7½ and 10 Tons
R-32 Refrigerant	■	N/A
R-410A Refrigerant	N/A	■
TXV Control	■	■
Transformer and Blower Relay	■	■
Electric Heat Kits Available as a Field Installation	■	■
Horizontal and Vertical Condensate Pans	■	■
Built-In Filter Rack for 2" Filter (included)	■	■
Draw-Thru Centrifugal Blower	■	■
5-Year Parts Limited Warranty*	■	■



### OUTSTANDING LIMITED WARRANTY\* PROTECTION

\*Complete warranty details available from your local distributor or manufacturer's representative or at [www.daikincomfort.com](http://www.daikincomfort.com) or [www.daikinac.com](http://www.daikinac.com).



# Accessories Available

## DF / DR and DS / DH Series

### Field Accessories

- » 14" and 24" Roof Curb
- » 25% Manual Fresh Air Damper
- » 25% Motorized Fresh Air Damper
- » Burglar Bar Sleeves with Supply and Return
- » Concentric Duct Kit
- » Condenser Coil Hail Guards
- » Downflow Economizer
- » Electric Heat
- » High Altitude Kit (Gas/Electric)
- » Horizontal Economizers
- » Hold Down Bracket Kit
- » Low Ambient Kit
- » LP Conversion Kit (Gas/Electric)
- » Power Exhaust
- » MERV 8 and MERV 13 Air Filters
- » Crankcase heater kits

### Factory-Installed Options

- » Stainless Steel Heat Exchanger (Gas/Electric Units)
- » Electric Heat Kits (Heat Pumps and Air Conditioners)
- » Low Ambient Kit
- » Condenser Coil Hail Guards
- » High-Static Kit
- » Downflow Economizer
- » MERV 8 and MERV 13 Air Filters
- » Non-Fused Disconnect Switch (3-phase only)
- » Powered Convenience Outlet
- » Non-Powered Convenience Outlet
- » Smoke Detectors (supply, Return or both)
- » Hinged Doors
- » Phase Monitor
- » Daikin DDC *iLINO* controller
- » HGRH (on select models)

## DP3 / DP14 M Series

### Field Accessories

- » Horizontal Duct Covers
- » Downflow Economizer
- » External Horizontal Filter Rack
- » Horizontal Economizer
- » 25% Manual Fresh Air Damper
- » 25% Motorized Fresh Air Damper
- » Outdoor Thermostat and Emergency Heat Relay Kit
- » Outdoor Thermostat Kit with Lockout Stat
- » Roof Curb
- » Square to Round Adapters
- » High Altitude Kit (Gas/Electric Units)
- » LP Conversion Kit (Gas/Electric Units)

## DX3SEA / DX14XA and DC3SEA / DC6TE

### Accessories

- » Anchor Bracket Kit
- » Anti-Short Cycle Kit
- » Freeze Protection Kit
- » Liquid Line Solenoid Kit
- » Low Ambient Kit
- » Crankcase Heater
- » Outdoor Thermostat
- » TXV Kit

## DX4SEA / DX14XA and DH4SEA / DH6TE


### Accessories

- » Anchor Bracket Kit
- » Low Ambient Kit
- » Freeze Protection Kit
- » Outdoor Thermostat
- » Outdoor Thermostat with Lockout Stat
- » TXV Kit

<sup>1</sup> Not all options/accessories are available for all units.

Please see product specifications for more details on accessories and options available.

Our continuing commitment to quality products may mean a change in specifications without notice.



Daikin provides innovative, premium quality indoor climate management solutions to meet the changing needs of residential, commercial and industrial customers.

### About Daikin:

Daikin Industries, Ltd. (DIL) is a global Fortune 1000 company and is recognized as one of the largest HVAC (Heating, Ventilation, Air Conditioning) manufacturers in the world. Founded in 1924, Daikin is celebrating 100 years of HVAC worldwide leadership. DIL is primarily engaged in developing indoor comfort systems and refrigeration products for residential, commercial, and industrial applications. Its consistent success is derived, in part, from a focus on innovative, energy-efficient, and premium quality indoor climate and comfort management solutions.

### Gas/Electric only:

District (SCAQMD) only: This furnace does not meet the SCAQMD Rule 1111 14 ng/J NO<sub>x</sub> emission limit, and thus is subject to a mitigation fee of up to \$450. This furnace is not eligible for the SCAQMD Clean Air Furnace Rebate Program: [www.CleanAirFurnaceRebate.com](http://www.CleanAirFurnaceRebate.com).

#### WARNINGS

- Working with all refrigerants involves a degree of liability. It is recommended to use best practices and always adhere to safety protocols before, during, and when working with any refrigerants.
- DO NOT MIX REFRIGERANTS
- Per current US EPA SNAP approvals, A2L refrigerants can only be used in new equipment and CANNOT be used to retrofit a different refrigerant into an existing system. Always use the same refrigerant marked on the nameplate.
- Codes are rapidly changing and allowing A2L refrigerants throughout North America. Check with your local Daikin Comfort Technologies Distributor for latest product availability information.

#### ADDITIONAL INFORMATION

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.

Visit [www.daikinac.com](http://www.daikinac.com) to learn more.